

ENEC LICENSE

License No. ENEC-04261

Page 1/3

Date of Issue 2023-01-30

License Holder	LETARON ELECTRONIC CO LTD NO. 253, JUNMA ROAD, HENGLI TOWN DONGGUAN, Guangdong, 523460 CHINA
Production site	LETARON ELECTRONIC CO LTD NO. 253, JUNMA ROAD, HENGLI TOWN DONGGUAN, GUANGDONG, 523460 CHINA
Certification Mark	See Annex 1
Certified Product	LED driver
Model	AEDaa-bbVIP44-3x-Qz, AEDaa-bbVIP44-3x See page 2 for additional Information
Trademark	LETARON
Ratings	220-240Vac, 50/60Hz, IP44, Max. 0.84A, independent LED driver, constant voltage, other detail see test report, Class II
Tested acc. to	EN 61347-2-13:2014, EN 61347-2-13:2014/A1:2017, EN 61347-1:2015, EN 61347-1:2015/A1:2021, EN IEC 62384:2020
Test Report No.	4790526821.1-1 issued on 2022-12-23 4790526821.1-2 issued on 2022-12-23
Additional Information	-

Certification Manager
Jan-Erik Storgaard

Certification Body

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this License is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).

UL International Demko A/S, Borupvang 5A, DK-2750
Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com
www.ul.com



ENEC LICENSE

License No. ENEC-04261

Page 2/3

Date of Issue 2023-01-30

Additional Model(s):

AED15-12VIP44-3A, AED15-12VIP44-3B, AED15-12VIP44-3A-Q1, AED15-12VIP44-3A-Q2, AED15-12VIP44-3A-Q3, AED15-12VIP44-3B-Q1, AED15-12VIP44-3B-Q2, AED15-12VIP44-3B-Q3, AED15-24VIP44-3A, AED15-24VIP44-3B, AED15-24VIP44-3A-Q1, AED15-24VIP44-3A-Q2, AED15-24VIP44-3A-Q3, AED15-24VIP44-3B-Q1, AED15-24VIP44-3B-Q2, AED15-24VIP44-3B-Q3, AED20-12VIP44-3A, AED20-12VIP44-3B, AED20-12VIP44-3A-Q1, AED20-12VIP44-3A-Q2, AED20-12VIP44-3A-Q3, AED20-12VIP44-3B-Q1, AED20-12VIP44-3B-Q2, AED20-12VIP44-3B-Q3, AED20-24VIP44-3A, AED20-24VIP44-3B, AED20-24VIP44-3A-Q1, AED20-24VIP44-3A-Q2, AED20-24VIP44-3A-Q3, AED20-24VIP44-3B-Q1, AED20-24VIP44-3B-Q2, AED20-24VIP44-3B-Q3, AED30-12VIP44-3A, AED30-12VIP44-3B, AED30-12VIP44-3A-Q1, AED30-12VIP44-3A-Q2, AED30-12VIP44-3A-Q3, AED30-12VIP44-3B-Q1, AED30-12VIP44-3B-Q2, AED30-12VIP44-3B-Q3, AED40-12VIP44-3A, AED40-12VIP44-3B, AED40-12VIP44-3A-Q1, AED40-12VIP44-3A-Q2, AED40-12VIP44-3A-Q3, AED40-12VIP44-3B-Q1, AED40-12VIP44-3B-Q2, AED40-12VIP44-3B-Q3, AED30-24VIP44-3A, AED30-24VIP44-3B, AED30-24VIP44-3A-Q1, AED30-24VIP44-3A-Q2, AED30-24VIP44-3A-Q3, AED30-24VIP44-3B-Q1, AED30-24VIP44-3B-Q2, AED30-24VIP44-3B-Q3, AED40-24VIP44-3A, AED40-24VIP44-3B, AED40-24VIP44-3A-Q1, AED40-24VIP44-3A-Q2, AED40-24VIP44-3A-Q3, AED40-24VIP44-3B-Q1, AED40-24VIP44-3B-Q2, AED40-24VIP44-3B-Q3, AED48-12VIP44-3A, AED48-12VIP44-3B, AED48-12VIP44-3A-Q1, AED48-12VIP44-3A-Q2, AED48-12VIP44-3A-Q3, AED48-12VIP44-3B-Q1, AED48-12VIP44-3B-Q2, AED48-12VIP44-3B-Q3, AED60-12VIP44-3A, AED60-12VIP44-3B, AED60-12VIP44-3A-Q1, AED60-12VIP44-3A-Q2, AED60-12VIP44-3A-Q3, AED60-12VIP44-3B-Q1, AED60-12VIP44-3B-Q2, AED60-12VIP44-3B-Q3, AED48-24VIP44-3A, AED48-24VIP44-3B, AED48-24VIP44-3A-Q1, AED48-24VIP44-3A-Q2, AED48-24VIP44-3A-Q3, AED48-24VIP44-3B-Q1, AED48-24VIP44-3B-Q2, AED48-24VIP44-3B-Q3, AED60-24VIP44-3A, AED60-24VIP44-3B, AED60-24VIP44-3A-Q1, AED60-24VIP44-3A-Q2, AED60-24VIP44-3A-Q3, AED60-24VIP44-3B-Q1, AED60-24VIP44-3B-Q2, AED60-24VIP44-3B-Q3

Series: AEDaa-bbVIP44-3x-Qz, AEDaa-bbVIP44-3x,

Variable “aa” represent LED power ∙ it can be 15, 20, 30, 40, 48 or 60.

Variable “bb” represent output voltage ∙ it can be 12 or 24.

Variable “x” , it can A or B, A indicate a heating film control function, B Indicates no heating film control function.

Variable “z” it can be 1, 2 or 3, 1 represent the function of defogging film switch : 2 represent the function of LED on off switch : 3 represent the function of colour temperature switch.

Certification Body

This is to certify that representative sample(s) of the Product described herein (“Certified Product”) have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL’s ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this License is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).



Annex 1 to License No.

ENEC-04261

Annex of the form of the Mark



15 is the identification number of the Certification Body

Size of the mark:

The size of the mark may be reduced on the condition that it remains legible and that the ratio $b/a=1,7$ is kept.

Certification Body

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this License is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).

