

Catalogue

SMART LIGHTING

Line

Lighting control by Nexta Tech

Family





Receivers

Subfamily






Constant current control, Dimmer, RGB

Download Nexta Tech catalogue

[here.](#)











Picture	Article	Description	Lot	Price/Unit
	15TOPA03073		1	97,66 €
	Control unit dimmer TOP-A0307/3 CC 350-700mA		10	93,00 €
		Intensity regulator for LED modules with constant current at 350mA or 700mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc		
		Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20		
	15TOPA0307EXT3		1	68,58 €
	Control unit dimmer slave TOP-A0307/EXT3 for CC 350-700mA		10	65,31 €
		Slave intensity regulator for LED modules with constant current at 350mA or 700mA selectable with jumper. Power supply with special cable for master-extender connection		
		Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20		

Subfamily **Constant current control, Dimmer, RGB**

Picture	Article	Description	Lot	Price/Unit
	15TOPA0307RGB		1	97,66 €
	Control unit dimmer TOP-A0307/RGB for led RGB CC		10	93,00 €
	350-700mA			
		Intensity regulator for RGB LED modules with constant current at 350mA or 700mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc		
		Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20		
<div><div>CE</div><div></div></div>				
	15TOPA05093		1	97,66 €
	Control unit dimmer TOP-A0509/3 for led CC		10	93,00 €
	500-900mA			
		Intensity regulator for RGB LED modules with constant current at 500mA or 900mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc		
		Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20		
<div><div>CE</div><div></div></div>				







SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant current control, Dimmer, RGB**

Picture	Article	Description	Lot	Price/Unit
	15TOPA0509EXT3		1	68,58 €
	Control unit dimmer slave TOP-A0509/EXT3 for led CC 500-900mA		10	65,31 €
	Slave intensity regulator for LED modules with constant current at 500mA or 900mA selectable with jumper. Power supply with special cable for master-extender connection			
	Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20			
		 		
	15TOPA0509RGB		1	98,28 €
	Control unit dimmer TOP-A0509/RGB for led RGB CC 500-900mA		10	93,60 €
	Intensity regulator for RGB LED modules with constant current at 500mA or 900mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc			
	Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20			
		 		





SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant current control, Dimmer, RGB**

Picture	Article	Description	Lot	Price/Unit
 	15WITOP100		1	16,41 €
	Connection wire 1 m. RJ11 for TOP extender		10	15,63 €
	1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series			
	Length (mm): 1000			
				
 	15WITOP1000		1	26,17 €
	Connection wire 10 m. RJ11 for TOP extender		10	24,92 €
	10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.			
	Length (mm): 10000			
				

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant current control, Dimmer, RGB**

Picture	Article	Description	Lot	Price/Unit
	15WITOP30		1	13,10 €
	Connection wire 30 cm. RJ11 for TOP extender		10	12,48 €
	30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series. Length (mm): 300			
				
	15WITOP500		1	21,02 €
	Connection wire 5 m. RJ11 for TOP extender		10	20,02 €
	5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series. Length (mm): 5000			
