KOALA COMPONENTS

Iluminación · Lighting · Éclairage



PRICE LIST HALOTEC HARDWARE

HALOTEC HARDWARE

Halotec Small Installation Material

Multiple Plug and cable Reels

Multiple Plug With Cable 3 Sockets



Code	Description	Lot (> =)	Price
SK08001	**Multiple Plug Socket 3 plugs with cable 1,5m** Child protection. 3G 1.5mm2 cable. Maximum 3500W Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Bag with tab 1 Unit	1 10 30	2,77 €/Unit 2,52 €/Unit 2,40 €/Unit



Code	Description	Lot (> =)	Price
SK08002A	**Multiple Plug Socket 3 plugs with switch cable 1,5m** Cable H05VV-F 3G. 1.5mm2 PVC double insulation Length (mm): 185 Width (mm): 54 High (mm): 50 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Box 10 Units	1 10 40	7,07 €/Unit 6,44 €/Unit 6,13 €/Unit



Code	Description	Lot (> =)	Price
SK08010	**Multiple Square Plug socket 3 plugs with switch cable1,5m** Child protection. 3G 1.5mm2 cable. Maximum 3500W Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Bag with tab 1 Unit	1 10 30	3,38 €/Unit 3,07 €/Unit 2,93 €/Unit

Multiple Plug Withcable 4 Sockets



Code	Description	Lot (> =)	Price
SK08003	**Multiple Plug Socket 4 plugs with cable 1,5m** Child protection. 3G 1.5mm2 cable. Maximum 3500W Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Bag with tab 1 Unit	1 10 30	3,14 €/Unit 2,86 €/Unit 2,72 €/Unit



Code	Description	Lot (> =)	Price
SK08004A	**Multiple Plug Socket 4 plugs with switch cable 1,5m** Cable H05VV-F 3G. 1.5mm2 PVC double insulation Length (mm): 230 Width (mm): 54 High (mm): 50 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Box 10 Units	1 10 30	6,94 €/Unit 6,31 €/Unit 6,00 €/Unit



Code	Description	Lot (> =)	Price
SK08009	**Multiple Square Plug socket 4 plugs with cable 1,5m** Child protection. 3G 1.5mm2 cable. Maximum 3500W Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Bag with tab 1 Unit	1 10 30	3,01 €/Unit 2,74 €/Unit 2,61 €/Unit

Multiple Plug With Cable 5 Shockets

Multiple Plug and cable Reels

Multiple Plug With Cable 5 Shockets



Code	Description	Lot (> =)	Price
SK08005	**Multiple Plug Socket 5 plugs with cable 1,5m** Child protection. 3G 1.5mm2 cable. Maximum 3500W Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Bag with tab 1 Unit	**1** **10** **30**	**3,44** €/Unit **3,13** €/Unit **2,98** €/Unit


Multiple Plug With Cable 6 Shockets



Code	Description	Lot (> =)	Price
SK08008A	**Multiple base 6 sockets with switch 1,5m cable** 3G hose cable 1,5mm2. Maximum 3680W. Indoor use Length (mm): 315 Width (mm): 54 High (mm): 50 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16 Packaging: Bag with tab 1 Unit	**1** **10** **30**	**8,01** €/Unit **7,29** €/Unit **6,94** €/Unit

Plugs and bases

Eur Plugs and Sockets



Code	Description	Lot (> =)	Price
SK08402	**Blister europeann straight plug white. 10A 250V** UNE20315 Colour: White Voltage In (Vac): 250 Intensidad In (A): 10 Packaging: Blister 1 Unit	**1** **24** **48**	**1,44** €/Unit **1,21** €/Unit **1,09** €/Unit



Code	Description	Lot (> =)	Price
SK08404	**Blister europeann straight plug black. 10A 250V** UNE20315 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 10 Packaging: Blister 1 Unit	**1** **24** **48**	**1,44** €/Unit **1,21** €/Unit **1,09** €/Unit



Code	Description	Lot (> =)	Price
SK08401A	**White European Straight Plug. 10A 250V** Length (mm): 57 Width (mm): 36 High (mm): 17 Colour: White Voltage In (Vac): 250 Intensidad In (A): 10 Packaging: Box 50 Units	**1** **10** **50**	**0,83** €/Unit **0,76** €/Unit **0,71** €/Unit
SK08403A	**Black European Straight Plug. 10A 250V** Length (mm): 57 Width (mm): 36 High (mm): 17 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 10 Packaging: Box 50 Units	**1** **10** **50**	**0,78** €/Unit **0,71** €/Unit **0,67** €/Unit

Code	Description	Lot (> =)	Price



Eur Plugs and Sockets



Code	Description	Lot (> =)	Price
SK08406	**Blister Base adjustable european white.10A 250V**	**1**	**1,32** €/Unit
		24	**1,04** €/Unit
	UNE20315	**48**	**0,98** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK08408	**Blister Base adjustable european black.10A 250V**	**1**	**1,32** €/Unit
		24	**1,04** €/Unit
	UNE20315	**48**	**0,98** €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
CD80005	**White European Plug. 10A 250V**	**1**	**0,78** €/Unit
		10	**0,68** €/Unit
		100	**0,62** €/Unit
	Length (mm): 65 Width (mm): 33 High (mm): 15 Colour: White Voltage In (Vac): 250 Intensidad In (A): 10 Ingress Protection: IP20	**400**	**0,59** €/Unit



Code	Description	Lot (> =)	Price
CD80006	**Black European Plug. 10A 250V**	**1**	**0,78** €/Unit
		10	**0,68** €/Unit
		100	**0,62** €/Unit
	Length (mm): 65 Width (mm): 33 High (mm): 15 Colour: White Voltage In (Vac): 250 Intensidad In (A): 10 Ingress Protection: IP20	**400**	**0,59** €/Unit

Schuko Plugs And Sockets



Code	Description	Lot (> =)	Price
SK08410	**Blister Straight Plug Schuko. white 16A 250V**	**1**	**1,44** €/Unit
		24	**1,21** €/Unit
	UNE20315	**48**	**1,09** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK08409A	**Straight Plug Schuko. white 16A 250V**	**25**	**1,51** €/Unit
		50	**1,25** €/Unit
	SCHUKO PVC bipolar plug with lateral TT and straight cable entry	**100**	**1,18** €/Unit
	Length (mm): 86 Width (mm): 32 High (mm): 33 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		



Code	Description	Lot (> =)	Price
SK08412	**Blister Base adjustable Schuko. white 16A 250V**	**1**	**1,52** €/Unit
		24	**1,27** €/Unit
	UNE20315	**48**	**1,15** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		

Schuko Plugs And Sockets



Code	Description	Lot (> =)	Price
SK08411A	**Schuko mobile base. White 16A 250V**	**25**	**1,59** €/Unit
		50	**1,45** €/Unit
	UNE20315	**100**	**1,38** €/Unit
	High (mm): 68 Diameter (mm): 48 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		



Code	Description	Lot (> =)	Price
SK08414	**Blister Angled Plug Schuko.white 16A 250V**	**1**	**1,55** €/Unit
		24	**1,21** €/Unit
	UNE20315	**48**	**1,13** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK08415	**Straight Plug Schuko Rubber. 16A 250V FILM+EAN**	**25**	**1,51** €/Unit
		50	**1,24** €/Unit
	UNE20315	**200**	**1,20** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Box 25 Units		
SK08416	**Blister Straight Plug Schuko Rubber. 16A 250V**	**1**	**1,73** €/Unit
		24	**1,27** €/Unit
	UNE20315	**48**	**1,15** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK08417	**Base adjustable Schuko Rubber. 16A 250V FILM+EAN**	**25**	**1,55** €/Unit
		100	**1,29** €/Unit
	UNE20315	**250**	**1,20** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Box 25 Units		



Code	Description	Lot (> =)	Price
SK08417A	**Schuko Rubber mobile base. 16A 250V**	**10**	**4,22** €/Unit
		30	**3,84** €/Unit
	IP44 with cover. IEC 60884-1	**90**	**3,63** €/Unit
	High (mm): 104 Diameter (mm): 50 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16		



Code	Description	Lot (> =)	Price
SK08419A	**Schuko waterproof plug. 16A 250V**	**15**	**3,12** €/Unit
		30	**2,82** €/Unit
	IEC 60884-1	**90**	**2,69** €/Unit
	High (mm): 114 Diameter (mm): 45 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP44		



Code	Description	Lot (> =)	Price

Plugs and bases

Schuko Plugs And Sockets



Code	Description	Lot (> =)	Price
SK08421	**Base adjustable Waterproof Schuko. 16A 250V FILM+EAN**	**12**	**1,85** €/Unit
		24	**1,54** €/Unit
	UNE20315	**48**	**1,40** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Box 12 Units		
SK08422	**Blister Base adjustable Waterproof Schuko. 16A 250V**	**1**	**2,43** €/Unit
		12	**2,02** €/Unit
	UNE20315	**24**	**1,84** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK08428	**bipolar mobile base rubber tirple T.T side exit 16A 250V**	**1**	**10,67** €/Unit
		10	**9,72** €/Unit
	Length (mm): 170 Width (mm): 108 High (mm): 58 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP44	**20**	**9,26** €/Unit
	Packaging: Box 5 Unit		




Code	Description	Lot (> =)	Price
SK08429	**PP / PA bipolar plug with side TT and side cable input 16A 250V**	**1**	**1,44** €/Unit
		10	**1,30** €/Unit
	Length (mm): 55 Width (mm): 37 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16	**20**	**1,24** €/Unit
	Packaging: Box 40 Units		

Adapters

Triple Socket Adapters



Code	Description	Lot (> =)	Price
SK08225	**Plug Adapter green 3 plugs earth terminal 10A/250V**	**1**	**2,08** €/Unit
		24	**1,89** €/Unit
	Child protection. Maximum 3500W	**48**	**1,80** €/Unit
	Colour: Green Voltage In (Vac): 250 Intensidad In (A): 10~16		
	Packaging: Box 12 Units		



Code	Description	Lot (> =)	Price
SK08227	**Plug Adapter orange 3 plugs earth terminal 10A/250V**	**1**	**2,08** €/Unit
		24	**1,89** €/Unit
	Child protection. Maximum 3500W	**48**	**1,80** €/Unit
	Colour: Orange Voltage In (Vac): 250 Intensidad In (A): 10~16		
	Packaging: Box 12 Units		



Code	Description	Lot (> =)	Price
SK08229	**Plug Adapter blue 3 plugs earth terminal 10A/250V**	**1**	**2,08** €/Unit
		24	**1,89** €/Unit
	Family Safety. Maximo 3500W	**48**	**1,80** €/Unit
	Colour: Blue Voltage In (Vac): 250 Intensidad In (A): 10~16		
	Packaging: Box 12 Units		

Double sockets Adapters

Adapters

Double sockets Adapters



Code	Description	Lot (> =)	Price
SK08213	**Plug Adapter 2 plugs Schuko 10/16A FILM+EAN**	**10**	**2,72** €/Unit
		30	**2,47** €/Unit
	Child protection. Maximum 2200W	**60**	**2,35** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16		
	Packaging: Box 10 Units		
SK08214	**Blister Plug Adapter 2 plugs Schucko 10/16A**	**1**	**3,49** €/Unit
		20	**3,18** €/Unit
	Child protection. Maximum 2200W	**40**	**3,02** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16		
	Packaging: Blister 1 Unit		

Travel Adapter



Code	Description	Lot (> =)	Price
SK08207	**Plug Adapter schuko-inglesa FILM+EAN**	**10**	**1,03** €/Unit
		30	**0,94** €/Unit
	Child protection. Maximum 1800W	**60**	**0,90** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Box 30 Units		
SK08208	**Blister Plug Adapter schuko-uk**	**1**	**1,75** €/Unit
		24	**1,59** €/Unit
	Child protection. Maximum 3500W	**48**	**1,51** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16		
	Packaging: Blister 1 Unit		

USB Adapters



Code	Description	Lot (> =)	Price
SK08231	**Adapter 3 USB ports FILM + EAN**	**1**	**5,80** €/Unit
		10	**5,05** €/Unit
	OUTPUT: 5Vdc, 2.1A (total)	**100**	**4,80** €/Unit
	Colour: White Voltage In (Vac): 100~230 Voltage Out (Vdc): 5 Intensidad In (A): 0.3 Intensidad Out (A): 2.1 Frecuency (Hz): 50~60		

Plug Bases

Bases Surface Plug



Code	Description	Lot (> =)	Price
SK08302A	**Base de enchufe para canaleta**	**1**	**1,21** €/Unit
		10	**1,10** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**50**	**1,05** €/Unit
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK08322	**Plug base for channel FILM+EAN**	**1**	**0,75** €/Unit
		12	**0,68** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10	**48**	**0,65** €/Unit
	Packaging: Box 12 Units		

Plug Bases

Bases Surface Plug



Code	Description	Lot (> =)	Price
SK08426	**TT bipolar plug with kitchen**	1	4,74 €/Unit
		10	4,30 €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 25	20	4,09 €/Unit
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK08427	**TT bipolar base with kitchen**	1	5,30 €/Unit
		10	4,82 €/Unit
	For Ø60mm flush-mount box	20	4,60 €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 25		
	Packaging: Box 10 Units		

Lampholders for Installing

Halotec Installation Thermoplastic Lampholders E27



Code	Description	Lot (> =)	Price
AR1412031	**Lampholder for instalation 912/CP102 black thermoplastic T210°**	1	1,30 €/Unit
		50	0,64 €/Unit
	Instalation lampholder with cap. Connetion by screws for rigid or flexible 0,5-2,5mm2 cables	500	0,62 €/Unit
	High (mm): 67 Diameter (mm): 38.5 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4		
	Temperature (°C): 210 Socket: E27 Connection: Screw		
	Packaging: Box 250 Units		



Code	Description	Lot (> =)	Price
AR1412032	**Lampholder for instalation 912/CP102 white thermoplastic T210°**	1	1,30 €/Unit
		50	0,64 €/Unit
	Instalation lampholder with cap. Connetion by screws for rigid or flexible 0,5-2,5mm2 cables	500	0,62 €/Unit
	High (mm): 67 Diameter (mm): 38.5 Colour: White Voltage In (Vac): 250 Intensidad In (A): 4		
	Temperature (°C): 210 Socket: E27 Connection: Screw		
	Packaging: Box 250 Units		

Halotec thermoplastic Lampholders E27



Code	Description	Lot (> =)	Price
SK01001A	**E27 black thermoplastic Lampholder mounted**	1	0,5069 €/Unit
	M10x1.Conexión fixing screw	250	0,4888 €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 190		
	Packaging: Box 250 Units		



Code	Description	Lot (> =)	Price
SK01003A	**E27 White thermoplastic Lampholder mounted**	1	0,5193 €/Unit
	M10x1.Conexión fixing screw	250	0,4889 €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 190		
	Packaging: Box 250 Units		



Code	Description	Lot (> =)	Price

Lampholders for Installing

Halotec thermoplastic Lampholders E27



Code	Description	Lot (> =)	Price
SK01009A	**Half Threaded thermoplastic E27 lampholders black mounted no ring**	**1**	**0,5120** €/Unit
	M10x1.Conexión fixing screw	**250**	**0,4944** €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 190		
	Packaging: Box 250 Units		



Code	Description	Lot (> =)	Price
SK01011A	**Half Threaded thermoplastic E27 lampholders white mounted no ring**	**1**	**0,5385** €/Unit
	M10x1.Conexión fixing screw	**250**	**0,5086** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 190		
	Packaging: Box 250 Units		

Halotec Light point thermoplastic lampholders E27



Code	Description	Lot (> =)	Price
SK01054A	**E27 copper straight socket lamp holder**	**1**	**6,37** €/Unit
		10	**4,26** €/Unit
		50	**3,94** €/Unit
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.	**200**	**3,76** €/Unit
	High (mm): 58.2 Diameter (mm): 83 Colour: Copper Voltage In (Vac): 250 Temperature (°C): 180		
	Socket: E27 Connection: Automatic		



Code	Description	Lot (> =)	Price
SK01055A	**E27 chrome straight socket lamp holder**	**1**	**6,38** €/Unit
		10	**4,27** €/Unit
		50	**3,96** €/Unit
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.	**200**	**3,77** €/Unit
	Colour: Chrome Voltage In (Vac): 250 Temperature (°C): 180 Socket: E27 Connection: Automatic		



Code	Description	Lot (> =)	Price
SK01056A	**E27 Golden straight socket lamp holder**	**1**	**6,38** €/Unit
		10	**4,27** €/Unit
		50	**3,96** €/Unit
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.	**200**	**3,77** €/Unit
	High (mm): 58.2 Diameter (mm): 83 Colour: Gold Voltage In (Vac): 250 Temperature (°C): 180 Socket: E27 Connection: Automatic		



Code	Description	Lot (> =)	Price
SK01038A	**White E27 curved base socket lamp holder**	**1**	**2,10** €/Unit
		10	**1,39** €/Unit
		50	**1,29** €/Unit
	Thermoplastic. Connecting screws for rigid or flexible cables from 0.5 to 2.5mm2.	**200**	**1,24** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Socket: E27		
	Connection: Automatic Ingress Protection: IP20		
	Packaging: Box 200 Units		

Lampholders for Installing

Halotec Light point thermoplastic lampholders E27



Code	Description	Lot (> =)	Price
SK01039A	**Black E27 curved base socket lamp holder**	**1**	**2,08** €/Unit
		10	**1,39** €/Unit
		50	**1,29** €/Unit
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.	**200**	**1,23** €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Socket: E27		
	Connection: Automatic Ingress Protection: IP20		
	Packaging: Box 200 Units		



Code	Description	Lot (> =)	Price
SK01041A	**Lampholder for plinth straight E27 white ARDITI**	**1**	**1,81** €/Unit
		10	**1,21** €/Unit
		50	**1,12** €/Unit
	Thermoplastic. Connecting screws for rigid or flexible cables 0.5 to 2.5mm2	**200**	**1,07** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Socket: E27		
	Connection: Automatic Ingress Protection: IP20		
	Packaging: Box 200 Units		



Code	Description	Lot (> =)	Price
SK01042A	**Black E27 straight base socket lamp holder**	**1**	**1,78** €/Unit
		10	**1,20** €/Unit
		50	**1,09** €/Unit
	Thermoplastic. Connecting screws for rigid or flexible cables 0.5 to 2.5mm2	**200**	**1,06** €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Socket: E27		
	Connection: Automatic Ingress Protection: IP20		
	Packaging: Box 200 Units		

Halotec bakelite and thermoplastic Lampholders E14



Code	Description	Lot (> =)	Price
SK02003A	**E14 smooth white thermoplastic lampholders mounted antigiro**	**100**	**0,4896** €/Unit
	M10x1.Conexión fixing screw	**500**	**0,4732** €/Unit
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Socket: E14		
	Packaging: Box 500 Units		



Code	Description	Lot (> =)	Price
SK02005	**Lampholder plane E14 bakelite black antirotation FILM+EAN**	**1**	**0,60** €/Unit
		100	**0,46** €/Unit
	Fixing M10x1 : metal screw with anti-rotation	**500**	**0,41** €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Socket: E14		
	Connection: Screw		
	Packaging: Box 100 Units		

Code	Description	Lot (> =)	Price
SK02006	**Blister Lampholder plane E14 bakelite black antirotation**	**1**	**0,66** €/Unit
		36	**0,51** €/Unit
	Fixing M10x1: metal screw with anti-rotation	**72**	**0,46** €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Socket: E14		
	Connection: Screw		
	Packaging: Blister 1 Unit		

Lampholders for Installing

Halotec bakelite and thermoplastic Lampholders E14



Code	Description	Lot (> =)	Price
SK02013	**Lampholder partly threaded E14 bakelite black antirotation FILM+EAN**	1	0,78 €/Unit
		100	0,60 €/Unit
	Fixing M10x1 : metal screw with anti-rotation	500	0,5434 €/Unit
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Socket: E14		
	Connection: Screw		
	Packaging: Box 100 Units		

Halotec Halogen Lampholders GZ10



Code	Description	Lot (> =)	Price
SK02027	**Lampholder halogen GZ10 230V**	1	0,85 €/Unit
		25	0,74 €/Unit
	Soapstone. Connection cable 15cm double silicone layer for high temperature	200	0,70 €/Unit
	Colour: Porcelain Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 250-180 Socket: GZ10		
	Packaging: Box 25 Units		

Lampholder adapter



Code	Description	Lot (> =)	Price
SK01045	**GU10/E27 adapter socket White**	1	1,25 €/Unit
		25	1,14 €/Unit
	Interior material: Ceramic. Outer material: Polyester	50	1,09 €/Unit
	High (mm): 57 Diameter (mm): 35 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Socket: GU10		
	Packaging: Box 25 Units		

Halotec lampholders and wreath accessories E27



Code	Description	Lot (> =)	Price
SK01046	**Lamp holder for garlands E27 socket black**	1	1,09 €/Unit
		10	1,00 €/Unit
	Thermostable material body (Polyamide). Connection by perforation, insulator (IP41 with washer ref. SK01050), for rectangular cable 5x11mm or 5.5 x13mm, of section 2 x 2.5 mm2. Indoor use	50	0,95 €/Unit
	High (mm): 50 Diameter (mm): 40 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Power (W): 40 Socket: E27		
	Packaging: Box 50 Units		



Code	Description	Lot (> =)	Price
SK01047	**Fixing bracket for rectangular cable 5x11mm**	1	8,92 €/Unit
		5	8,12 €/Unit
	Material synthetic rubber / Rubber.	10	7,73 €/Unit
	Length (mm): 113 Diameter (mm): 43 Colour: Black Ingress Protection: IP44		
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK01048	**Bipolar plug for rectangular cable 5x11mm**	1	9,29 €/Unit
		5	8,44 €/Unit
	Material synthetic rubber / Rubber.	10	8,05 €/Unit
	Length (mm): 99 Diameter (mm): 42 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP44		
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price

Lampholders for Installing

Halotec lampholders and wreath accessories E27



Code	Description	Lot (> =)	Price
SK01049	**Bipolar mobile rubber base for garland for rectangular cable 5x11mm**	**1**	**16,04** €/Unit
		5	**14,58** €/Unit
	Material synthetic rubber / Rubber.	**10**	**13,89** €/Unit
	Length (mm): 118 Diameter (mm): 50 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP44		
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK01050	**Silicone sealing washer for garland lampholder**	**1**	**0,66** €/Unit
		10	**0,60** €/Unit
	Material: Resistant silicone. Internal diameter 28mm. For garland lampholder	**40**	**0,58** €/Unit
	High (mm): 9 Diameter (mm): 42 Colour: Black Ingress Protection: IP44		
	Packaging: Box 40 Units		



Code	Description	Lot (> =)	Price
SK01051	**10m garland with 12 lampholder E27 rectangular cable 5x11mm**	**1**	**86,38** €/Unit
		2	**78,52** €/Unit
	5x11mm halogen-free rectangular PVC cable. 10m long wreath with 12 E27 lampholders, 1 plug and 1 support. 1kV insulation	**4**	**74,78** €/Unit
	Length (mm): 10000 Colour: Black		
	Packaging: Box 2 Units		



Code	Description	Lot (> =)	Price
SK01052	**5x11mm Rectalgular Cable for Garland**	**50**	**1,98** €/Mt.
		100	**1,81** €/Mt.
	5x11mm halogen-free rectangular PVC cable. 1kV insulation	**150**	**1,71** €/Mt.
	Length (mm): 5000 Colour: Black Room Temperature (°C): -5~+70		
	Packaging: Roll 50 Meters		

Surface Mechanisms

Surface Mechanisms



Code	Description	Lot (> =)	Price
SK08332	**Switch FILM+EAN**	**1**	**0,80** €/Unit
		24	**0,72** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**48**	**0,69** €/Unit
	Packaging: Box 12 Units		

Code	Description	Lot (> =)	Price
SK08333	**Switch FILM+EAN**	**1**	**0,85** €/Unit
		24	**0,78** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**48**	**0,74** €/Unit
	Packaging: Box 12 Units		



Code	Description	Lot (> =)	Price
SK08325	**Blister Push-button**	**1**	**1,17** €/Unit
		20	**1,02** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**40**	**0,97** €/Unit
	Packaging: Blister 1 Unit		

Surface Mechanisms



Code	Description	Lot (> =)	Price
SK08334	**Push-button FILM+EAN**	**1**	**0,91** €/Unit
		40	**0,80** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**80**	**0,76** €/Unit
	Packaging: Box 12 Units		



Code	Description	Lot (> =)	Price
SK08326	**Blister double Switch**	**1**	**1,33** €/Unit
		20	**1,16** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**40**	**1,10** €/Unit
	Packaging: Blister 1 Unit		
SK08327	**Blister double Switch**	**1**	**1,33** €/Unit
		20	**1,16** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**40**	**1,10** €/Unit
	Packaging: Blister 1 Unit		
SK08335	**double Switch FILM+EAN**	**1**	**1,13** €/Unit
		40	**0,98** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**80**	**0,93** €/Unit
	Packaging: Box 12 Units		
SK08336	**double Switch FILM+EAN**	**1**	**1,18** €/Unit
		40	**1,03** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10~16	**80**	**0,98** €/Unit
	Packaging: Box 12 Units		

Waterproof Surface Mechanisms IP54



Code	Description	Lot (> =)	Price
SK08702	**Blister Switch/conmutator IP54 with led diode**	**1**	**2,47** €/Unit
		10	**2,06** €/Unit
	Switch / Switch with outdoor signaling LED IP54 in blister	**20**	**1,87** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Blister 1 Unit		
SK08709	**Switch/conmutator IP54 Led FILM+EAN**	**1**	**2,32** €/Unit
		10	**1,94** €/Unit
	Switch/conmutator IP54 With led signaling	**40**	**1,76** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK08703A	**Base covered Schuko plug IP54**	**1**	**2,70** €/Unit
		10	**2,45** €/Unit
	Schuko base covered for outdoor IP54	**20**	**2,33** €/Unit
	Length (mm): 72 Width (mm): 72 High (mm): 56 Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP54		
	Packaging: Box 10 Unit		

Waterproof Surface Mechanisms IP54



Code	Description	Lot (> =)	Price
SK08704	**Blister Switch/conmutator and Schuko base covered IP54**	**1**	**4,22** €/Unit
		10	**3,52** €/Unit
	Base and switch / switch for outdoor IP54 in blister	**20**	**3,20** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		
SK08711	**Switch/conmutator and base Schuko covered IP54 FILM+EAN**	**1**	**3,83** €/Unit
		5	**3,19** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16	**20**	**2,90** €/Unit
	Packaging: Box 5 Units		



Code	Description	Lot (> =)	Price
SK08705	**Blister 2 Switches IP54**	**1**	**2,61** €/Unit
		10	**2,18** €/Unit
	Double switch for outdoor IP54 in blister	**20**	**1,98** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Blister 1 Unit		
SK08712	**Double Switch IP54 FILM+EAN**	**1**	**2,22** €/Unit
		10	**1,85** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10	**40**	**1,68** €/Unit
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK08706	**Blister 2 Switches con base Schuko covered IP54**	**1**	**4,49** €/Unit
		6	**3,74** €/Unit
	Double switch with covered Schuko base for outdoor IP54 in blister	**12**	**3,40** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16		
	Packaging: Blister 1 Unit		
SK08713	**Double Switch with Schuko base covered IP54 FILM+EAN**	**1**	**3,91** €/Unit
		5	**3,26** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 16	**20**	**2,96** €/Unit
	Packaging: Box 5 Units		



Code	Description	Lot (> =)	Price
SK08707	**Blister 2 bases Schuko covered IP54**	**1**	**3,85** €/Unit
		10	**3,21** €/Unit
	Double switch with covered Schuko base for outdoor IP54 in blister	**20**	**2,92** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10		
	Packaging: Blister 1 Unit		
SK08714	**Double Schuko base covered IP54 FILM+EAN**	**1**	**3,41** €/Unit
		5	**2,84** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10	**20**	**2,58** €/Unit
	Packaging: Box 5 Units		



Code	Description	Lot (> =)	Price

Surface Mechanisms

Waterproof Surface Mechanisms IP54



Code	Description	Lot (> =)	Price
SK08715	**Pushbutton IP54 FILM+EAN**	**1**	**1,44** €/Unit
		10	**1,20** €/Unit
	Voltage In (Vac): 250 Intensidad In (A): 10	**40**	**1,09** €/Unit
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
SK08718	**IP54 surface switch**	**1**	**2,90** €/Unit
		10	**2,64** €/Unit
	Outdoor switch IP54. Use with cable section 1 to 2.5mm	**20**	**2,51** €/Unit
	Length (mm): 72 Width (mm): 72 High (mm): 56 Voltage In (Vac): 250 Intensidad In (A): 10 Ingress Protection: IP54		

PLP Terminal Block for Installation

PLP Installation terminal blocks



Code	Description	Lot (> =)	Price
SK04101K	**Terminal Block 432- PLP 4mm2. 12 Holes**	**10**	**0,98** €/Unit
		50	**0,89** €/Unit
	Polypropylene auto-extinguishable UL94V2 homologated for working temperature 85°C	**100**	**0,85** €/Unit
	Section (mm2): 4 Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04102K	**Terminal Block 433-PLP 6mm2. 12 Holes**	**10**	**1,09** €/Unit
		50	**1,00** €/Unit
	Polypropylene auto-extinguishable UL94V2 homologated for working temperature 85°C	**300**	**0,95** €/Unit
	Section (mm2): 6 Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04103K	**Terminal Block 434-PLP 10mm2. 12 Holes**	**10**	**1,32** €/Unit
		50	**1,22** €/Unit
	Polypropylene auto-extinguishable UL94V2 homologated for working temperature 85°C	**260**	**1,15** €/Unit
	Section (mm2): 10 Voltage In (Vac): 450 Intensidad In (A): 57 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04104K	**Terminal Block 435- PLP 16mm2. 12 Holes**	**10**	**2,88** €/Unit
		50	**2,60** €/Unit
	Polypropylene self-extinguishing UL94V2 approved for working temperature of 85 ° C	**130**	**2,50** €/Unit
	Section (mm2): 16 Voltage In (Vac): 450 Intensidad In (A): 76 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04105K	**Terminal Block 438-PLP 25mm2. 12 Holes**	**3**	**6,46** €/Unit
		30	**5,87** €/Unit
	Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	**54**	**5,59** €/Unit
	Section (mm2): 25 Voltage In (Vac): 450 Intensidad In (A): 101 Temperature (°C): 85		
	Packaging: Shrinkwrapped 3 Units		



Code	Description	Lot (> =)	Price
SK04106K	**Connection strip 432-PLP 4mm2.Black, 12 pole**	**10**	**0,98** €/Unit
		160	**0,90** €/Unit
	Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	**320**	**0,85** €/Unit
	Section (mm2): 4 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		

PLP Terminal Block for Installation

PLP Installation terminal blocks



Code	Description	Lot (> =)	Price
SK04107K	**Connection strip 433-PLP 6mm2.Black, 12 pole**	**10**	**1,09** €/Unit
		50	**1,00** €/Unit
	Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	**300**	**0,95** €/Unit
	Section (mm2): 6 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04108K	**Connection strip 434-PLP 10mm2.Black, 12 pole**	**10**	**1,32** €/Unit
		50	**1,22** €/Unit
	Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	**260**	**1,15** €/Unit
	Section (mm2): 10 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 57 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04109K	**Connection strip 435-PLP 16mm2.Black, 12 pole**	**10**	**2,88** €/Unit
		50	**2,60** €/Unit
	Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	**130**	**2,50** €/Unit
	Section (mm2): 16 Voltage In (Vac): 450 Intensidad In (A): 76 Temperature (°C): 85		
	Packaging: Shrinkwrapped 10 Units		
SK04110K	**Connection strip 438-PLP 25mm2.Black, 12 pole**	**3**	**6,42** €/Unit
		30	**5,83** €/Unit
	Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	**54**	**5,55** €/Unit
	Section (mm2): 25 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 101 Temperature (°C): 85		
	Packaging: Shrinkwrapped 3 Units		

Electronic Ultrasonic Repeller

Electronic Ultrasonic Repeller



Code	Description	Lot (> =)	Price
SK08801	**Animal Repeller**	**1**	**7,07** €/Unit
		10	**6,43** €/Unit
	Emits an audible sound which takes away animals, 3 types of frequencies to be chosen	**20**	**6,12** €/Unit
	Voltage In (Vac): 220		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK08802	**Cockroach Repeller**	**1**	**4,99** €/Unit
		10	**4,54** €/Unit
	Repels cockroaches, emits an inaudible sound which scares off insects	**20**	**4,32** €/Unit
	Voltage In (Vac): 220		
	Packaging: Blister 1 Unit		

Halotec Lamps

LED Lamps HALOTEC

Led Lamps E14



Code	Description	Lot (> =)	Price

Led Lamps E14



Code	Description	Lot (> =)	Price
E2901047	**Lamp Candle E14 LED 4W 100-250V 3000K matted**	**1**	**1,96** €/Unit
	CRI>80 Average life 30.000h. For 230V	**10**	**1,45** €/Unit
	Length (mm): 107 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Colour Temperature (ºK): 3000 Socket: E14 Lumen: 320 Energy efficiency: A+ Kwh/1000h: 4 Dimmable: NO Power factor: >0,4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E2901063	**Bulb Candle TP E14 LED 6W 230V 4000K matte**	**1**	**1,32** €/Unit
		10	**1,10** €/Unit
	Thermoplastic body	**50**	**1,05** €/Unit
	Length (mm): 105 Diameter (mm): 37 Colour: Natural White Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (ºK): 4000 Socket: E14 Lumen: 480 Angle (º): 145 Energy efficiency: A+ Kwh/1000h: 6 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.7 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E2910023	**Mini Led bulb E14 ST264SMD 2w 3000k clear**	**100**	**0,96** €/Unit
	High (mm): 51 Diameter (mm): 23 Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 2 Colour Temperature (ºK): 3000 Socket: E14 Lumen: 200 Energy efficiency: F CRI (≥): 80 Life (Hours): 25000	**400**	**0,88** €/Unit
	Packaging: Box 100 Units		



Code	Description	Lot (> =)	Price
E2911068	**Spherical bulb TP E14 LED 6W 230V 270K matt**	**1**	**1,33** €/Unit
		10	**1,11** €/Unit
	Thermoplastic body	**50**	**1,05** €/Unit
	Length (mm): 80 Diameter (mm): 45 Colour: Warm White Voltage (In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 480 Angle (º): 145 Energy efficiency: A+ Kwh/1000h: 6 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.7 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E2901053D	**Pack 2 units Candle lamp LED TP E14 5W 230V 4000K matt**	**1**	**2,46** €/Unit
		10	**1,99** €/Unit
	Thermoplastic body and matt glass	**20**	**1,90** €/Unit
	Length (mm): 113 Diameter (mm): 37 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (ºK): 4000 Socket: E14 Lumen: 400 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 2 Unit		

Led Lamps E14



Code	Description	Lot (> =)	Price
E2901058D	**Pack 2 units LED Bulb TP E14 LED 5W 230V 2700K matte**	**1**	**2,46** €/Unit
		10	**1,99** €/Unit
	Thermoplastic body and matt glass	**20**	**1,90** €/Unit
	Length (mm): 113 Diameter (mm): 37 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 400 Angle (º): 200 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 2 Unit		



Code	Description	Lot (> =)	Price
E2901057	**Candle lamp LED E14 5W 230V 3000°K matt**	**1**	**1,96** €/Unit
		10	**1,45** €/Unit
	CRI>80 Average life 30.000h. Equivalent to 40W incandescence	**20**	**1,40** €/Unit
	Length (mm): 107 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (ºK): 3000 Socket: E14 Lumen: 400 Angle (º): 200 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E2911053D	**Pack 2 units Spherical lamp LED E14 TP 5W 230V 4000K matt**	**1**	**2,46** €/Unit
		10	**1,99** €/Unit
	CRI>80 Average life 30.000h. Equivalent to 40W incandescence	**20**	**1,90** €/Unit
	Length (mm): 80 Diameter (mm): 45 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (ºK): 4000 Socket: E14 Lumen: 400 Angle (º): 145 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 2 Unit		



Code	Description	Lot (> =)	Price
E2911057	**Spherical lamp LED E14 5W 230V 3000°K matt**	**1**	**1,96** €/Unit
		10	**1,45** €/Unit
	CRI>80 Average life 30.000h. Equivalent to 40W incandescence	**20**	**1,40** €/Unit
	Length (mm): 78 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (ºK): 3000 Socket: E14 Lumen: 400 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0,4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		

Led Lamps E27

LED Lamps HALOTEC

Led Lamps E27



Code	Description	Lot (> =)	Price
E2921061	**Spherical bulb TP E14 LED 6W 230V 6000K matt**	**1**	**1,32** €/Unit
		10	**1,10** €/Unit
	Thermoplastic body	**50**	**1,05** €/Unit

Length (mm): 80 Diameter (mm): 45 Colour: Cool white Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (ºK): 6000 Socket: E27 Lumen: 480 Angle (º): 145 Energy efficiency: A+ Kwh/1000h: 6 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit



Code	Description	Lot (> =)	Price
E2931122	**Bulb Standard TP E27 LED 12W 230V 4000K matte**	**1**	**2,02** €/Unit
		10	**1,68** €/Unit
	Thermoplastic body	**50**	**1,60** €/Unit

Length (mm): 120 Diameter (mm): 60 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 12 Colour Temperature (ºK): 4000 Socket: E27 Lumen: 1050 Angle (º): 240 Energy efficiency: A+ Kwh/1000h: 10 Incandescence equivalence (W): 80 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit



Code	Description	Lot (> =)	Price
E2931073	**Standard LED bulb TP E27 230V 7W 4000K matte**	**1**	**1,74** €/Unit
		10	**1,52** €/Unit
	CRI>80 Average life 30.000h. Equivalent to 50W incandescence	**20**	**1,45** €/Unit

Length (mm): 109 Diameter (mm): 60 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (ºK): 4000 Socket: E14 Lumen: 560 Angle (º): 270 Energy efficiency: A+ Kwh/1000h: 7 Incandescence equivalence (W): 50 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0,5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit



Code	Description	Lot (> =)	Price
E2931077	**GLS lamp LED E27 7W 230 3000°K matt**	**1**	**1,74** €/Unit
		10	**1,52** €/Unit
	CRI>80 Average life 30.000h. Equivalent to 50W incandescence	**20**	**1,45** €/Unit

Length (mm): 110 Diameter (mm): 60 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (ºK): 3000 Socket: E27 Lumen: 500 Energy efficiency: A+ Kwh/1000h: 7 Incandescence equivalence (W): 50 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit



Code	Description	Lot (> =)	Price

LED Lamps HALOTEC

Led Lamps E27



Code	Description	Lot (> =)	Price
E2931072	**GLS lamp LED E27 7W 230 4000°K matt**	1	1,74 €/Unit
		10	1,52 €/Unit
	CRI>80 Average life 30.000h. Equivalent to 50W incandescence	20	1,45 €/Unit
	Length (mm): 110 Diameter (mm): 60 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (ºK): 4000 Socket: E27 Lumen: 500 Energy efficiency: A+ Kwh/1000h: 7 Incandescence equivalence (W): 50 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		

Fliament Led Lamps E27



Code	Description	Lot (> =)	Price
E295160D	**125 LED bulb Globe filament E27 6W 230V 2700K dimmable**	1	5,29 €/Unit
		10	4,60 €/Unit
	Decorative filament with COB LED.	20	4,39 €/Unit
	Electronics integrated into the metal cap.		
	Adjustable by pressing the switch 100%, 50%, 25% and 0%. When you turn it off and turn it back on, it returns to 100%.		
	Length (mm): 175 Diameter (mm): 125 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 600 Angle (º): 360 Energy efficiency: A++ Kwh/1000h: 6 Incandescence equivalence (W): 80 CRI (≥): 80 Life (Hours): 20000 Dimmable: YES		
	Packaging: Box 15 Unit		



Code	Description	Lot (> =)	Price
E295040D	**Decorative globe LED lamp 4W 2700°K E27 clear**	1	3,75 €/Unit
		10	3,27 €/Unit
	CRI>80 Average life 25.000h	20	3,13 €/Unit
	Length (mm): 175 Diameter (mm): 125 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 450 Angle (º): 360 Energy efficiency: A++ Kwh/1000h: 4 Incandescence equivalence (W): 40 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0,4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		
	Packaging: Box 1 Unit		



Code	Description	Lot (> =)	Price
E296060D	**Led Bulb E27 Globe 95 filament 2700K 6W 230V**	1	5,05 €/Unit
		10	4,39 €/Unit
	COB LED decorative filament. Electronica integrated into the metal cap without additional ceramic body.	20	4,16 €/Unit
	Length (mm): 125 Diameter (mm): 95 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 800 Angle (º): 360 Energy efficiency: A++ Kwh/1000h: 6 Incandescence equivalence (W): 80 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0,5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		
	Packaging: Box 1 Unit		

Led Reflector Lamps

LED Lamps HALOTEC

Led Reflector Lamps



Code	Description	Lot (> =)	Price
E2976087	**R63 Reflector LED bulb E27 8W 3000K matt**	1	2,70 €/Unit
		10	2,02 €/Unit
	Thermoplastic body and polycarbonate	20	1,82 €/Unit

Length (mm): 100 Diameter (mm): 63 Colour: Warm White Voltage In (Vac): 170~265 Frecuency (Hz): 50~60 Power (W): 8 Colour Temperature (ºK): 3000 Socket: E27 Lumen: 700 Angle (º): 120 Energy efficiency: A+ Kwh/1000h: 8 Incandescence equivalence (W): 70 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit



Code	Description	Lot (> =)	Price
E2979137	**LED Reflector bulb Bombilla Reflectora LED R90 13W E27 3000K mate**	1	2,47 €/Unit
		10	1,83 €/Unit
	Thermoplastic body and polycarbonate	20	1,64 €/Unit

Length (mm): 118 Diameter (mm): 90 Colour: Warm White Voltage In (Vac): 170~265 Frecuency (Hz): 50~60 Power (W): 13 Colour Temperature (ºK): 3000 Socket: E27 Lumen: 1040 Angle (º): 120 Energy efficiency: A+ Kwh/1000h: 13 Incandescence equivalence (W): 120 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit

Led Lamps GU10 230V



Code	Description	Lot (> =)	Price
E241006	**Dichroic lamp 20 LED MR16 230V GU10 orange**	1	3,96 €/Unit
		25	3,32 €/Unit
	Average life 20.000h	100	3,10 €/Unit

Diameter (mm): 50 Colour: Orange Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 2 Socket: GU10 Candelas: 15 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000 Dimmable: NO

Packaging: Box 1 Unit



Code	Description	Lot (> =)	Price
E279161	**Lamp LED COB 6W 230V GU10 6000°K 60º**	1	10,52 €/Unit
		10	7,82 €/Unit
	CRI>80 average life 30.000h. Heatsink dissipator aluminium forged in cold	100	7,44 €/Unit

Length (mm): 57 Diameter (mm): 50 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (ºK): 6000 Socket: GU10 Lumen: 570 Angle (º): 60 Energy efficiency: A+ Kwh/1000h: 6 CRI (≥): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0,5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): 0,30 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): 0,10 Colour consistency: <6 sdcm

Packaging: Box tab 1 Unit



Code	Description	Lot (> =)	Price

LED Lamps HALOTEC

Led Lamps GU10 230V



Code	Description	Lot (> =)	Price
E279273	**Led bulb dimmable GU10 7W 5000K 230V 55mm**	1	4,03 €/Unit
		20	3,35 €/Unit
	Thermoplastic light gray. Bitensionales.	40	3,20 €/Unit
	Length (mm): 55 Diameter (mm): 50 Colour: Cool white Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (ºK): 5000 Socket: GU10 Lumen: 500 Angle (º): 60 Energy efficiency: A+ Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 30000 Dimmable: YES Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): 0.30 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): 0.10 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		

Led Lamps GU5.3 12V



Code	Description	Lot (> =)	Price
E249002	**Lamp dichroic 20 Leds MR16 12V GU5.3 yellow**	1	1,80 €/Unit
		10	1,51 €/Unit
	Not suitable for electronic transformers. Average life 20,000h	50	1,40 €/Unit
	Diameter (mm): 50 Colour: Yellow Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 1~2 Socket: GU5.3 Candelas: 11 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000 Dimmable: NO		
	Packaging: Box 1 Unit		
E249003	**Lamp dichroic 20 Leds MR16 12V GU5.3 red**	1	1,80 €/Unit
		10	1,51 €/Unit
	Not suitable for electronic transformers. Average life 20,000h	50	1,40 €/Unit
	Diameter (mm): 50 Colour: Red Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 1~2 Socket: GU5.3 Candelas: 14 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000 Dimmable: NO		
	Packaging: Box 1 Unit		
E249004	**Lamp dichroic 20 Leds MR16 12V GU5.3 green**	1	1,80 €/Unit
		10	1,51 €/Unit
	Not suitable for electronic transformers. Average life 20,000h	50	1,40 €/Unit
	Diameter (mm): 50 Colour: Green Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 1~2 Socket: GU5.3 Candelas: 47 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000 Dimmable: NO		
	Packaging: Box 1 Unit		
E249005	**Lamp dichroic 20 Leds MR16 12V GU5.3 blue**	1	1,80 €/Unit
		10	1,51 €/Unit
	Not suitable for electronic transformers. Average life 20,000h	50	1,40 €/Unit
	Diameter (mm): 50 Colour: Blue Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 1~2 Socket: GU5.3 Candelas: 13 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 2000 Dimmable: NO		
	Packaging: Box 1 Unit		

Led Lamps G9 230V



Code	Description	Lot (> =)	Price
E2990031	**Lamp G9 LED 3W 230V 6000°K**	1	5,03 €/Unit
		10	3,76 €/Unit
	CRI>80 Average life 25.000h	50	3,42 €/Unit
	Length (mm): 49 Diameter (mm): 16 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 3 Colour Temperature (ºK): 6000 Socket: G9 Lumen: 190 Energy efficiency: A+ Kwh/1000h: 3 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0,4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		

LED Lamps HALOTEC

Led Lamps G9 230V



Code	Description	Lot (> =)	Price
E2990042	**Bulb G9 LED 3.5W 230V 4000k**	**1**	**3,45** €/Unit
		10	**2,60** €/Unit
	With high brightness SMD LED. Transparent plastic coating	**50**	**2,35** €/Unit
	Length (mm): 49 Diameter (mm): 16 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 3.5 Colour Temperature (ºK): 4000 Socket: G9 Lumen: 350 Energy efficiency: A+ Kwh/1000h: 3.5 CRI (≥): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0,4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		
	Packaging: Box tab 1 Unit		

Led Tubes T8



Code	Description	Lot (> =)	Price
E282091	**T8 LED Tube 60cm 9W 700lm 4000K Neutral white**	**1**	**3,00** €/Unit
		10	**2,45** €/Unit
	Integrated electronics. Simple and direct to the phase and neutral connection without any additional element. Its angle of 270 degrees does not require rotary lampholder	**30**	**2,30** €/Unit
	Length (mm): 602 Diameter (mm): 30 Colour: Natural White Voltage In (Vac): 180~264 Frecuency (Hz): 50~60 Power (W): 9 Room Temperature (°C): -20~+70 Colour Temperature (ºK): 4000 Socket: G13 Lumen: 700 Angle (º): 270 Energy efficiency: A+ Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.9 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <2.0 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
E282092	**T8 LED Tube 60cm 9W 750lm 6500K cool white**	**1**	**3,30** €/Unit
		10	**2,45** €/Unit
	Integrated electronics. Simple and direct to the phase and neutral connection without any additional element. Its angle of 270 degrees does not require rotary lampholder	**30**	**2,30** €/Unit
	Length (mm): 602 Diameter (mm): 30 Colour: Cool white Voltage In (Vac): 180~264 Frecuency (Hz): 50~60 Power (W): 9 Room Temperature (°C): -20~+70 Colour Temperature (ºK): 6500 Socket: G13 Lumen: 750 Angle (º): 270 Energy efficiency: A++ Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.9 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <2.0 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box 10 Units		



Code	Description	Lot (> =)	Price
E282241	**Tubo LED T8 150cm 24W 2300lm 4000K neutral white**	**1**	**5,70** €/Unit
		10	**4,30** €/Unit
	Integrated electronics. Simple and direct to the phase and neutral connection without any additional element. Its angle of 270 degrees does not require rotary lampholder	**30**	**4,10** €/Unit
	Length (mm): 1512 Diameter (mm): 30 Colour: Natural White Voltage In (Vac): 180~264 Frecuency (Hz): 50~60 Power (W): 24 Room Temperature (°C): -20~+70 Colour Temperature (ºK): 4000 Socket: G13 Lumen: 2300 Angle (º): 270 Energy efficiency: A+ Kwh/1000h: 24 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.9 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <2.0 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm		
	Packaging: Box 10 Units		

LED Lamps HALOTEC

Led Tubes T8



Code	Description	Lot (> =)	Price
E282242	**T8 LED Tube 150cm 24W 2400lm 6500K cool white**	**1**	**5,70** €/Unit
		10	**4,30** €/Unit
		30	**4,10** €/Unit

HALOTEC®

Integrated electronics. Simple and direct to the phase and neutral connection without any additional element. Its angle of 270 degrees does not require rotary lampholder
Length (mm): 1512 Diameter (mm): 30 Colour: Cool white Voltage In (Vac): 180~264 Frecuency (Hz): 50~60 Power (W): 24 Room Temperature (°C): -20~+70 Colour Temperature (ºK): 6500 Socket: G13 Lumen: 2400 Angle (º): 270 Energy efficiency: A+ Kwh/1000h: 24 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.9 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <2.0 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm
Packaging: Box 10 Units

Led luminaires with T5 Tube

Code	Description	Lot (> =)	Price
E283046	**T-5 Led Lamp 4W 6500K cool white**	**1**	**5,50** €/Unit
		5	**4,58** €/Unit
		15	**4,20** €/Unit

HALOTEC®

With switch. Includes cable with European plug of 1m length and auxiliary cable 20cm to connect to another strip. It also allows direct connection to another terminal strip. Easy installation.
Length (mm): 308 Width (mm): 22.5 High (mm): 36 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Colour Temperature (ºK): 6500 Lumen: 360 Angle (º): 130 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 25000 Ingress Protection: IP20 Dimmable: NO
Packaging: Box 25 Units

Fluorescent Compact E14

Micro Triple Tube E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E268213	**Lamp Micro ELT E14 230V 13W 2700ºK**	**1**	**1,67** €/Unit
		25	**1,29** €/Unit
		50	**1,16** €/Unit

HALOTEC®

Integrated electronic ballast. No dimmable. Average life 8000h
Length (mm): 116 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 665 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3
Packaging: Box tab 1 Unit

E268409	**Lamp Micro ELT E14 230V 9W 4200ºK**	**1**	**1,51** €/Unit
		25	**1,14** €/Unit
		50	**1,04** €/Unit

HALOTEC®

Integrated electronic ballast. No dimmable. Average life 8000h
Length (mm): 101 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 405 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3
Packaging: Box tab 1 Unit

Micro Triple Tube E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E268411	**Lamp Micro ELT E14 230V 11W 4200ºK** Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 106 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 535 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 1 Unit	**1** **25** **50**	**1,60** €/Unit **1,19** €/Unit **1,10** €/Unit
E268413	**Lamp Micro ELT E14 230V 13W 4200ºK** Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 116 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 665 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 1 Unit	**1** **25** **50**	**1,67** €/Unit **1,29** €/Unit **1,16** €/Unit

Mini Triple Tube E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E216211D	**Pack of 2 units Lamp Mini ELT E14 230V 11W 2700ºK** triple Tubo. Integrated electronic ballast. No adjustable. Average Life 8000h Length (mm): 118 Diameter (mm): 40 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 590 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 2 Units	**1** **25** **50**	**3,16** €/Unit **2,61** €/Unit **2,39** €/Unit
E216409D	**Pack of 2 units Lamp Mini ELT E14 230V 9W 4200ºK** triple Tubo. Integrated electronic ballast. No adjustable. Average Life 8000h Length (mm): 108 Diameter (mm): 40 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 450 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 2 Units	**1** **25** **50**	**4,35** €/Box **3,60** €/Box **3,30** €/Box
E216411D	**Pack of 2 units Lamp Mini ELT E14 230V 11W 4200ºK** triple Tubo. Integrated electronic ballast. No adjustable. Average Life 8000h Length (mm): 120 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 4000 Socket: E14 Lumen: 590 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 2 Units	**1** **25** **50**	**3,15** €/Unit **2,60** €/Unit **2,39** €/Unit

Mini Triple Tube E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E216209	**Mini ELT lamp E14 230V 9W 2700ºK** Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 108 Diameter (mm): 40 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 450 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	1 10 50	1,47 €/Unit 1,08 €/Unit 1,01 €/Unit
E216211	**Mini ELT lamp E14 230V 11W 2700ºK** Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 118 Diameter (mm): 40 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 590 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	1 10 50	1,67 €/Unit 1,26 €/Unit 1,15 €/Unit
E216213	**Mini ELT lamp E14 230V 13W 2700ºK** Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 128 Diameter (mm): 40 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 680 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 1 Unit	1 10 50	1,79 €/Unit 1,33 €/Unit 1,23 €/Unit
E216409	**Mini ELT lamp E14 230V 9W 4200ºK** Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 108 Diameter (mm): 40 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 450 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	1 10 50	1,47 €/Unit 1,08 €/Unit 1,01 €/Unit
E216413	**Mini ELT lamp E14 230V 13W 4200ºK** Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 130 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 680 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3 Packaging: Box tab 1 Unit	1 10 50	1,79 €/Unit 1,33 €/Unit 1,23 €/Unit

Mini Spiral E14 Fluorescent lamps



Code	Description	Lot (> =)	Price

Mini Spiral E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E262209	**Mini spiral lamp E14 230V 9W 2700ºK** Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 102 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 450 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	**1** **10** **50**	**1,69** €/Unit **1,27** €/Unit **1,16** €/Unit
E262211	**Mini spiral lamp E14 230V 11W 2700ºK** Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 107 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 550 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	**1** **10** **50**	**1,78** €/Unit **1,33** €/Unit **1,23** €/Unit
E262409	**Mini spiral lamp E14 230V 9W 4200ºK** Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 102 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 450 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	**1** **10** **50**	**1,69** €/Unit **1,27** €/Unit **1,16** €/Unit
E262411	**Mini spiral lamp E14 230V 11W 4200ºK** Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 107 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 550 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3 Packaging: Box tab 1 Unit	**1** **10** **50**	**1,78** €/Unit **1,33** €/Unit **1,23** €/Unit

Mini spherical E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E264407	**Mini ball lamp EG E14 230V 7W 4200ºK** Integrated electronic ballast. No dimmable. Average life 6000h Length (mm): 95 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 290 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5 Packaging: Box tab 1 Unit	**1** **25** **50**	**1,54** €/Unit **1,15** €/Unit **1,06** €/Unit

Fluorescent Compact E14

Mini spherical E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E264409	**Mini ball lampl EG E14 230V 9W 4200ºK**	**1**	**1,67** €/Unit
		25	**1,24** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,14** €/Unit
	Length (mm): 100 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 405 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0.55 Starting time (seg): 1.5		
	Packaging: Box tab 1 Unit		

Candle E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E261211	**Candle lamp ECL E14 230V 11W 2700ºK**	**1**	**1,68** €/Unit
		10	**1,30** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,17** €/Unit
	Length (mm): 142 Diameter (mm): 42 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 510 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		
E261407	**Candle lamp ECL E14 230V 7W 4200ºK**	**1**	**1,62** €/Unit
		10	**1,21** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,11** €/Unit
	Length (mm): 126 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 290 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		

Micro Candle E14 Fluorescent lamps



Code	Description	Lot (> =)	Price
E261211M	**Candle lamp Micro ECL E14 230V 11W 2700ºK**	**1**	**1,88** €/Unit
		25	**1,42** €/Unit
	Integrated electronic ballast. No dimmable. AveragelLife 6000h	**100**	**1,29** €/Unit
	Length (mm): 125 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 540 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000 Power factor: 0.55 Starting time (seg): 1.5		
	Packaging: Box tab 1 Unit		

Double Tube E14 Fluorescent Lamps



Code	Description	Lot (> =)	Price
E215404	**Mini ELD lamp E14 230V 4W 4200ºK**	**1**	**1,22** €/Unit
		10	**0,93** €/Unit
	Double tube. Integrated electronic ballast. No dimmable. Average life 8000h	**50**	**0,85** €/Unit
	Length (mm): 116 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4 Colour Temperature (ºK): 4200 Socket: E14 Lumen: 160 Energy efficiency: A Kwh/1000h: 4 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3		
	Packaging: Box tab 1 Unit		

Fluorescent Compact E14

Double Tube E14 Fluorescent Lamps



Code	Description	Lot (> =)	Price
E215406	**Mini ELD lamp E14 230V 6W 4000ºK**	**1**	**1,40** €/Unit
		10	**1,04** €/Unit
	Double tube. Integrated electronic ballast. No dimmable. Average life 8000h	**50**	**0,96** €/Unit
	Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 6 Colour Temperature (ºK): 4000 Socket: E14 Lumen: 240 Energy efficiency: A Kwh/1000h: 6 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3		
	Packaging: Box tab 1 Unit		

Fluorescent Compact E27

Mini Triple Tube E27 Fluorescent Lamps



Code	Description	Lot (> =)	Price
E220211	**Mini ELT lamp E27 230V 11W 2700ºK**	**1**	**1,67** €/Unit
		10	**1,26** €/Unit
	Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h	**50**	**1,15** €/Unit
	Length (mm): 120 Diameter (mm): 40 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 590 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3		
	Packaging: Box tab 1 Unit		

Mini spherical E27 Fluorescent lamps



Code	Description	Lot (> =)	Price
E265407	**Mini ball lamp EG E27 230V 7W 4200ºK**	**1**	**1,53** €/Unit
		10	**1,14** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,05** €/Unit
	Length (mm): 95 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (ºK): 4200 Socket: E27 Lumen: 290 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		
E265409	**Mini ball lamp EG E27 230V 9W 4200ºK**	**1**	**1,67** €/Unit
		25	**1,24** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,14** €/Unit
	Length (mm): 100 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E27 Lumen: 405 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		
E265411	**Mini ball lamp EG E27 230V 11W 4200ºK**	**1**	**2,43** €/Unit
		25	**1,79** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,65** €/Unit
	Length (mm): 105 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 4200 Socket: E27 Lumen: 535 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		

Spherical Globe E27 Fluorescent lamps

Fluorescent Compact E27

Spherical Globe E27 Fluorescent lamps



Code	Description	Lot (> =)	Price
E265423	**Globe lamp EG E27 230V 23W 4200ºK**	**1**	**2,83** €/Unit
		20	**2,13** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**40**	**1,92** €/Unit
	Length (mm): 172 Diameter (mm): 110 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 23 Colour Temperature (ºK): 4200 Socket: E27 Lumen: 1380 Energy efficiency: A Kwh/1000h: 23 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Lumen maintenance factor at the end of the nominal life: 0,65 Starting time (seg): <1,0		
	Packaging: Box tab 1 Unit		

Candle E27 Fluorescent lamps



Code	Description	Lot (> =)	Price
E267409	**Candle lamp ECL E27 230V 9W 4200ºK**	**1**	**1,68** €/Unit
		10	**1,30** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,17** €/Unit
	Length (mm): 142 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: E27 Lumen: 405 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		
E267411	**Candle lamp ECL E27 230V 11W 4200ºK**	**1**	**1,68** €/Unit
		10	**1,30** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**50**	**1,17** €/Unit
	Length (mm): 142 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 4200 Socket: E27 Lumen: 510 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		
	Packaging: Box tab 1 Unit		

Double Tube E27 Fluorescent Lamps



Code	Description	Lot (> =)	Price
E217209	**ELD lamp E27 230V 9W 2700ºK**	**1**	**1,77** €/Unit
		10	**1,34** €/Unit
	Double tube. Integrated electronic ballast. No dimmable. Average life 8000h	**50**	**1,23** €/Unit
	Length (mm): 130 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 500 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3		
	Packaging: Box tab 1 Unit		

Fluorescent Compact Other bases

GU10 ESL



Code	Description	Lot (> =)	Price
E266409	**Lamp ESL GU10 230V 9W 4200ºK**	**1**	**1,87** €/Unit
		10	**1,41** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**100**	**1,28** €/Unit
	Length (mm): 78 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 4200 Socket: GU10 Lumen: 240 Energy efficiency: B Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000		
	Packaging: Box tab 1 Unit		

Fluorescent Compact Other bases

GU10 ESL



Code	Description	Lot (> =)	Price
E266411	**Lamp ESL GU10 230V 11W 4200ºK**	**1**	**1,95** €/Unit
		10	**1,49** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**100**	**1,32** €/Unit
	Length (mm): 78 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 4200 Socket: GU10 Lumen: 275 Energy efficiency: B Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E266413	**Lamp ESL GU10 230V 13W 4200ºK**	**1**	**2,12** €/Unit
		10	**1,62** €/Unit
	Integrated electronic ballast. No dimmable. Average life 6000h	**100**	**1,45** €/Unit
	Length (mm): 86 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (ºK): 4200 Socket: GU10 Lumen: 280 Energy efficiency: B Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 6000		
	Packaging: Box tab 1 Unit		

Fluorescent Compract Wihout Ballast integrated

G23 Single Tube fluorescent lamps



Code	Description	Lot (> =)	Price
E221207	**Lamp TC-S G23 230V 7W 2700ºK**	**1**	**0,98** €/Unit
		50	**0,75** €/Unit
	Single tube.Without integrated ballast. No dimmable. Average life 8000h	**200**	**0,70** €/Unit
	Length (mm): 136 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (ºK): 2700 Socket: G23 Lumen: 380 Energy efficiency: B Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 8000 Lumen maintenance factor at the end of the nominal life: 0,75		
	Packaging: Box tab 1 Unit		

E221209	**Lamp TC-S G23 230V 9W 2700ºK**	**1**	**1,07** €/Unit
		50	**0,82** €/Unit
	single Tube.Without integrated ballast. No adjustable. Average Life 8000h	**200**	**0,76** €/Unit
	Length (mm): 165 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (ºK): 2700 Socket: G23 Lumen: 560 Energy efficiency: B Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Lumen maintenance factor at the end of the nominal life: 0,75		
	Packaging: Box tab 1 Unit		

E221211	**Lamp TC-S G23 230V 11W 2700ºK**	**1**	**0,95** €/Unit
		50	**0,74** €/Unit
	Single tube.Without integrated ballast. No dimmable. Average life 8000h	**200**	**0,67** €/Unit
	Length (mm): 237 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (ºK): 2700 Socket: G23 Lumen: 680 Energy efficiency: B Kwh/1000h: 12 CRI (≥): 80 Life (Hours): 8000 Lumen maintenance factor at the end of the nominal life: 0,75		
	Packaging: Box tab 1 Unit		

Double fluorescent lamps G24d



Code	Description	Lot (> =)	Price

Fluorescent Compract Wihout Ballast integrated

Double fluorescent lamps G24d



Code	Description	Lot (> =)	Price
E222213	**Lamp TC-D G24d1 230V 13W 3500ºK** Double tube 2 pins.Without integrated ballast. No dimmable. Average life 8000h Length (mm): 141 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (ºK): 3500 Socket: G24d-1 Lumen: 830 Energy efficiency: B Kwh/1000h: 14 CRI (≥): 80 Life (Hours): 8000 Lumen maintenance factor at the end of the nominal life: 0,75 Packaging: Box tab 1 Unit	1 50 200	0,85 €/Unit 0,67 €/Unit 0,60 €/Unit

Triple fluorescent lamps GX24q



Code	Description	Lot (> =)	Price
E223442	**Lamp TC-T GX24q4 230V 42W 4200ºK** Triple tube 4 pins. Without integrated ballast. No dimmable. Average life 8000h Length (mm): 168 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 42 Colour Temperature (ºK): 4200 Lumen: 3000 Energy efficiency: B Kwh/1000h: 46 CRI (≥): 80 Life (Hours): 8000 Lumen maintenance factor at the end of the nominal life: 0,75 Packaging: Box tab 1 Unit	1 50 200	1,25 €/Unit 0,95 €/Unit 0,87 €/Unit

Double Tube 2G11 PLL fluorescent lamps



Code	Description	Lot (> =)	Price
E257055	**Lamp 2G11 220/240V 55W 2700ºK** Without integrated ballast. No dimmable. Average life 8000h Length (mm): 540 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 55 Colour Temperature (ºK): 2700 Socket: 2G11 Lumen: 3300 Energy efficiency: B Kwh/1000h: 61 CRI (≥): 80 Life (Hours): 8000 Packaging: Box 1 Unit	1 10 50	1,30 €/Unit 1,01 €/Unit 0,91 €/Unit


T5 Fluorescent tubes

BLB Black Light Tubes

Code	Description	Lot (> =)	Price
E224904	**Lamp BLB black light T-5 220V 4W** Black Light fluorescent tube Length (mm): 148 Diameter (mm): 16 Voltage In (Vac): 220 Frecuency (Hz): 50 Power (W): 4 Socket: G5 Kwh/1000h: 4 Packaging: Box 1 Unit	1 10 500	1,20 €/Unit 0,91 €/Unit 0,84 €/Unit
E224906	**Lamp BLB black light T-5 220V 6W** Black Light fluorescent tube Length (mm): 227 Diameter (mm): 16 Voltage In (Vac): 220 Frecuency (Hz): 50 Power (W): 6 Socket: G5 Kwh/1000h: 6 Packaging: Box 1 Unit	1 10 500	1,25 €/Unit 0,95 €/Unit 0,88 €/Unit
E224908	**Lamp BLB black light T-5 220V 8W** Black Light fluorescent tube Length (mm): 302 Diameter (mm): 16 Voltage In (Vac): 220 Frecuency (Hz): 50 Power (W): 8 Socket: G5 Kwh/1000h: 8 Packaging: Box 1 Unit	1 10 500	1,29 €/Unit 0,99 €/Unit 0,91 €/Unit

T5 Fluorescent tubes

BLB Black Light Tubes



Code	Description	Lot (> =)	Price
E224913	**Lamp BLB black light T-5 220V 13W**	**1**	**1,59** €/Unit
		10	**1,20** €/Unit
	Black Light fluorescent tube	**200**	**1,10** €/Unit
	Length (mm): 531 Diameter (mm): 16 Voltage In (Vac): 220 Frecuency (Hz): 50 Power (W): 13 Socket: G5 Kwh/1000h: 13		
	Packaging: Box 1 Unit		

Luminaires with T5 Tubes

Luminaires with T5 Tubes



Code	Description	Lot (> =)	Price
E245606	**T-5 Lamp with electronic ballast 6W**	**1**	**3,36** €/Unit
		10	**2,52** €/Unit
	With switch. Includes cable to plug EUR outlet and adapter to connect other lamp.	**30**	**2,29** €/Unit
	Length (mm): 268 Width (mm): 22 High (mm): 43 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 6 Colour Temperature (ºK): 6400 Lumen: 210 Energy efficiency: B Kwh/1000h: 7 CRI (≥): 80 Ingress Protection: IP20 Lumen maintenance factor at the end of the nominal life: 0.80		
	Packaging: Box 1 Unit		
E245614	**T-5 Lamp with electronic ballast 14W 603mm**	**1**	**4,97** €/Unit
		10	**3,71** €/Unit
	With switch. Includes cable to plug EUR outlet and adapter to connect other lamp.	**20**	**3,38** €/Unit
	Length (mm): 603 Width (mm): 22 High (mm): 43 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 14 Colour Temperature (ºK): 6400 Lumen: 1085 Energy efficiency: A Kwh/1000h: 15 CRI (≥): 80 Ingress Protection: IP20 Lumen maintenance factor at the end of the nominal life: 0.80		
	Packaging: Box 1 Unit		

Metal Halide Lamps

Metal Halide RX7s lamps



Code	Description	Lot (> =)	Price
E225307	**Metallic halide lamp 70W 3000°K**	**1**	**4,65** €/Unit
		10	**3,46** €/Unit
	Average life 8000h	**100**	**3,15** €/Unit
	Length (mm): 114.2 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 70 Colour Temperature (ºK): 3000 Socket: Rx7s Lumen: 7000 Energy efficiency: A Kwh/1000h: 77 Life (Hours): 8000		
	Packaging: Box 1 Unit		

LAMPES HALOGENES

Energy Saver Halogen R7s lamps




Code	Description	Lot (> =)	Price
E212003	**Linear lamp 118mm 230V 140W Energy Saver**	**1**	**1,63** €/Unit
		50	**1,21** €/Unit
	Average life 1000 hours. Multiposition. Energy saving 30% .required protection.	**100**	**1,10** €/Unit
	Length (mm): 118 High (mm): 8 Colour: Warm White Voltage In (Vac): 230 Power (W): 140 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 2650 Energy efficiency: C Kwh/1000h: 140 Life (Hours): 2000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		


Energy Saver Halogen R7s lamps



Code	Description	Lot (> =)	Price
E212008	**Linear bulb 118mm 230V 350W ENERGY SAVER**	**1**	**1,41** €/Unit
		50	**1,05** €/Unit
	Multiposition. Energy saving 30% .Requiere protection.	**100**	**0,95** €/Unit
	Length (mm): 118 High (mm): 10 Colour: Warm White Voltage In (Vac): 230 Power (W): 350 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 7400 Energy efficiency: C Kwh/1000h: 350 Life (Hours): 2000 Power factor: 1.00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0.0 Lumen maintenance factor at the end of the nominal life: 0.80 Starting time (seg): 0.0		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E211003	**Linear lamp 78mm 230V 80W Energy saver**	**1**	**1,47** €/Unit
		50	**1,09** €/Unit
	Average lifetime 2000 hours. Multipositions. 30 % Energy saver, protection required	**100**	**0,99** €/Unit
	Length (mm): 78 Colour: Warm White Voltage In (Vac): 230 Power (W): 80 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 1400 Energy efficiency: C Kwh/1000h: 80 Life (Hours): 2000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		



Code	Description	Lot (> =)	Price
E211002	**Linear lamp 78mm 230V 100W Energy Saver**	**1**	**1,41** €/Unit
		50	**1,05** €/Unit
	Average life 1000 hours. Multiposition. Energy saving 30% .requiredprotection.	**100**	**0,95** €/Unit
	Length (mm): 78 Colour: Warm White Voltage In (Vac): 230 Power (W): 105 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 1900 Energy efficiency: C Kwh/1000h: 105 Life (Hours): 2000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		


Halogen R7s lamps



Code	Description	Lot (> =)	Price
E211025	**Linear lamp 78mm.240V 250W**	**1**	**0,5351** €/Unit
		100	**0,4361** €/Unit
	Average life 2000 hours. Multiposition .required protection.	**500**	**0,3963** €/Unit
	Length (mm): 78 Colour: Warm White Voltage In (Vac): 240 Power (W): 250 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 3800 Energy efficiency: E Kwh/1000h: 250 Life (Hours): 2000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		
E242190	**Linear lamp 189mm 240V 1000W**	**1**	**1,69** €/Unit
		50	**1,26** €/Unit
	Halogen linear horizontal +/- 30th. Requires protection element. Average Life 2000h	**100**	**1,14** €/Unit
	Length (mm): 189 Colour: Warm White Voltage In (Vac): 240 Frecuency (Hz): 50 Power (W): 1000 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 20000 Energy efficiency: D Kwh/1000h: 1000 CRI (≥): 100 Life (Hours): 2000		
	Packaging: Box tab 1 Unit		

LAMPES HALOGENES

Halogen R7s lamps



Code	Description	Lot (> =)	Price
E242195	**Linear lamp 254mm 240V 1500W**	**1**	**1,69** €/Unit
		50	**1,26** €/Unit
	Halogen linear horizontal +/- 30th. Requires protection element. Average Life 2000h	**100**	**1,14** €/Unit
	Length (mm): 254 Colour: Warm White Voltage In (Vac): 240 Frecuency (Hz): 50 Power (W): 1500 Colour Temperature (ºK): 2900 Socket: R7s Lumen: 30000 Energy efficiency: D Kwh/1000h: 1500 CRI (≥): 100 Life (Hours): 2000		
	Packaging: Box tab 1 Unit		

Energy Saver G9 Halogen lamps



Code	Description	Lot (> =)	Price
E210052	**Lamp G9 230V 52W Energy Saver**	**1**	**1,11** €/Unit
		50	**0,83** €/Unit
	Average life 1500 hours. UV filter. energy saving 30%	**100**	**0,75** €/Unit
	Length (mm): 42.8 Diameter (mm): 13 Colour: Warm White Voltage In (Vac): 230 Power (W): 52 Colour Temperature (ºK): 2900 Socket: G9 Lumen: 840 Energy efficiency: C Kwh/1000h: 52 Life (Hours): 1500 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		

Halogen lamp G9



Code	Description	Lot (> =)	Price
E210040	**Lamp G9 230V 40W**	**1**	**0,45** €/Unit
		56	**0,38** €/Unit
	Average life 1500 hours. UV filter.	**112**	**0,34** €/Unit
	Length (mm): 43 Diameter (mm): 13 Voltage In (Vac): 230 Power (W): 40 Colour Temperature (ºK): 2900 Socket: G9 Lumen: 410 Energy efficiency: E Life (Hours): 1500 Power factor: 1.00 Switching cycle (≥): 50000 Lumen maintenance factor at the end of the nominal life: 0.80		
	Packaging: Box tab 1 Unit		
E210075	**Lamp G9 230V 75W**	**1**	**1,36** €/Unit
		50	**1,01** €/Unit
	Average life 1500 hours. UV filter	**100**	**0,92** €/Unit
	Length (mm): 43 Diameter (mm): 13 Colour: Warm White Voltage In (Vac): 230 Power (W): 75 Colour Temperature (ºK): 2900 Socket: G9 Lumen: 990 Energy efficiency: E Kwh/1000h: 75 Life (Hours): 1500 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		

230V Halogen Dichroic lamps



Code	Description	Lot (> =)	Price
E208150	**Lamp GZ10 230V 50W dichroic reflector**	**1**	**0,3492** €/Unit
		25	**0,3044** €/Unit
	Dimmable . UV filter. This bulb requires a GZ10 socket. Not compatible with GU10 socket	**200**	**0,2865** €/Unit
	Length (mm): 55 Diameter (mm): 50 Colour: Warm White Voltage In (Vac): 230 Intensidad In (A): 0.22 Power (W): 50 Temperature (°C): -20+40 Room Temperature (°C): -20~+40 Colour Temperature (ºK): 2900 Socket: GZ10 Lumen: 400 Angle (º): 38 Energy efficiency: D Kwh/1000h: 50 Life (Hours): 1500 Dimmable: YES Power factor: 1.00 Switching cycle (≥): 25000 Lumen maintenance factor at the end of the nominal life: 0.75		
	Packaging: Box tab 1 Unit		

Bi-Pin Halogen lamp 12V

LAMPES HALOGENES

Bi-Pin Halogen lamp 12V



Code	Description	Lot (> =)	Price
E204151	**Halogen Bulb Bipin Matt 12V 50W GY6.35** UV filter Length (mm): 42 Width (mm): 10 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 50 Colour Temperature (ºK): 3000 Socket: GY6.35 Lumen: 830 Energy efficiency: G Life (Hours): 2000 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0.0 Starting time (seg): 0.0 Packaging: Box tab 1 Unit	**1** **50** **100**	**0,95** €/Unit **0,80** €/Unit **0,65** €/Unit



Code	Description	Lot (> =)	Price
E206035	**Halogen Bipin Lamp Supra 35W** HALOTEC® UV filter Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 35 Colour Temperature (ºK): 3000 Socket: G4 Lumen: 595 Energy efficiency: C Kwh/1000h: 37 Life (Hours): 2000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0 Packaging: Box tab 1 Unit	**1** **100** **300**	**0,36** €/Unit **0,26** €/Unit **0,24** €/Unit

Halogen Dichroic lamps 12V



Code	Description	Lot (> =)	Price
E200235	**Dichroic halogen lamp MR16 35W** HALOTEC® open reflector Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 35 Colour Temperature (ºK): 3000 Socket: GU5.3 Candelas: 720 Angle (º): 38 Energy efficiency: D Kwh/1000h: 37 Life (Hours): 3000 Power factor: 1.00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0.0 Lumen maintenance factor at the end of the nominal life: 0.75 Starting time (seg): 0.0 Packaging: Box 1 Unit	**1** **20** **200**	**0,45** €/Unit **0,33** €/Unit **0,30** €/Unit
E201235	**Dichroic supra lamp MR16 35W** HALOTEC® Self protected. Open reflector. UV filter. Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 35 Colour Temperature (ºK): 3000 Socket: GU5.3 Candelas: 1300 Angle (º): 38 Energy efficiency: D Kwh/1000h: 37 Life (Hours): 4000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,75 Starting time (seg): 0,0 Packaging: Box tab 1 Unit	**1** **20** **200**	**0,55** €/Unit **0,41** €/Unit **0,37** €/Unit
E201250	**Dichroic supra lamp MR16 50W** HALOTEC® Self protected. Open reflector. UV filter. Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 50 Colour Temperature (ºK): 3000 Socket: GU5.3 Candelas: 1800 Angle (º): 38 Energy efficiency: D Kwh/1000h: 53 Life (Hours): 4000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,75 Starting time (seg): 0,0 Packaging: Box tab 1 Unit	**1** **20** **200**	**0,55** €/Unit **0,41** €/Unit **0,37** €/Unit

Color 12V Halogen Dichroic lamps



Code	Description	Lot (> =)	Price

LAMPES HALOGENES

Color 12V Halogen Dichroic lamps



Code	Description	Lot (> =)	Price
E250502	**Dichroic covered lamp MR16 12V 50W yellow**	**1**	**1,14** €/Unit
		20	**0,93** €/Unit
	Average life 3000h	**200**	**0,84** €/Unit
	Diameter (mm): 50 Colour: Yellow Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 50 Socket: GU5.3 Angle (º): 38 Kwh/1000h: 53 Life (Hours): 3000		
	Packaging: Box 1 Unit		
E250503	**Dichroic covered lamp MR16 12V 50W red**	**1**	**1,14** €/Unit
		20	**0,93** €/Unit
	Average life 3000h	**200**	**0,84** €/Unit
	Diameter (mm): 50 Colour: Red Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 50 Socket: GU5.3 Angle (º): 38 Kwh/1000h: 53 Life (Hours): 3000		
	Packaging: Box 1 Unit		
E250504	**Dichroic covered lamp MR16 12V 50W green**	**1**	**0,80** €/Unit
		20	**0,65** €/Unit
	Average life 3000h	**200**	**0,5894** €/Unit
	Diameter (mm): 50 Colour: Green Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 50 Socket: GU5.3 Angle (º): 38 Kwh/1000h: 53 Life (Hours): 3000		
	Packaging: Box 1 Unit		
E250505	**Dichroic covered lamp MR16 12V 50W blue**	**1**	**1,14** €/Unit
		20	**0,93** €/Unit
	Average life 3000h	**200**	**0,84** €/Unit
	Diameter (mm): 50 Colour: Blue Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 50 Socket: GU5.3 Angle (º): 38 Kwh/1000h: 53 Life (Hours): 3000		
	Packaging: Box 1 Unit		

12V Halogen lamp with NDL Dichroic Reflector



Code	Description	Lot (> =)	Price
E235350	**Dichroic covered lamp reflector NDL MR16 12V 50W**	**1**	**0,75** €/Unit
		20	**0,55** €/Unit
	Average life 3000h.Reflector Neodymium highlights the warm colours	**200**	**0,49** €/Unit
	Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 50 Colour Temperature (ºK): 3000 Socket: GU5.3 Candelas: 2000 Angle (º): 38 Energy efficiency: D Kwh/1000h: 53 Life (Hours): 3000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,75 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		

E14 Incandescent Lamps

Candle E14 Energy Saber lamps



Code	Description	Lot (> =)	Price
E230042	**Candle bulb E14 230V 42W Energy Saver**	**1**	**1,26** €/Unit
		10	**0,95** €/Unit
	Average life 1000h. Energy saving 30%	**100**	**0,84** €/Unit
	Length (mm): 97 Diameter (mm): 35 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 42 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 630 Energy efficiency: C Kwh/1000h: 42 Life (Hours): 2000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		

E14 Candle lamps

E14 Incandescent Lamps

E14 Candle lamps



Code	Description	Lot (> =)	Price
E230060R	**Candle bulb E14 230V 60W clear with reinforced filament**	**100**	**0,4235** €/Unit
	Industrial use	**1.000**	**0,35** €/Unit
	Length (mm): 97 Diameter (mm): 35 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 560 Energy efficiency: F Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box 1 Unit		

E14 Spherical Energy Saver lamps



Code	Description	Lot (> =)	Price
A4444059	**Speherical lamp E14 230V 18W ENERGY SAVER**	**1**	**2,15** €/Unit
		10	**1,66** €/Unit
		50	**1,28** €/Unit
	Xenon Technogy	**100**	**1,15** €/Unit
	Length (mm): 76 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 18 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 205 Life (Hours): 2000 Dimmable: YES		
	Packaging: Box 100 Unit		
E231028	**Ball lamp E14 230V 28W Energy Saver**	**1**	**1,26** €/Unit
		10	**0,95** €/Unit
	Average life 1000h. Energy saving 30%	**100**	**0,84** €/Unit
	Length (mm): 75 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 28 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 370 Energy efficiency: C Kwh/1000h: 28 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		
E231042	**Ball lamp E14 230V 42W Energy Saver**	**1**	**1,26** €/Unit
		10	**0,95** €/Unit
	Average life 1000h. Energy saving 30%	**100**	**0,84** €/Unit
	Length (mm): 75 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 42 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 630 Energy efficiency: C Kwh/1000h: 42 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		

E14 Spherical lamps



Code	Description	Lot (> =)	Price
E241140	**Ball lamp E14 120V 40W frosted**	**1**	**0,3493** €/Unit
		50	**0,2587** €/Unit
	Average life 1.000h	**100**	**0,2352** €/Unit
	Length (mm): 75 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 120 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 400 Energy efficiency: F Kwh/1000h: 40 CRI (≥): 100 Life (Hours): 1000		
	Packaging: Box 1 Unit		

E14 Wind lamp



Code	Description	Lot (> =)	Price

E14 Incandescent Lamps

E14 Wind lamp



Code	Description	Lot (> =)	Price
E226060	**Bulb "coup de vent" E14 230V 60W clear**	1	0,4010 €/Unit
		100	0,2970 €/Unit
	Average life 1000h	1.000	0,27 €/Unit
	Length (mm): 120 Diameter (mm): 35 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 600 Energy efficiency: E Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box 1 Unit		

Curly E14 lamps



Code	Description	Lot (> =)	Price
E228060	**Twisted bulb E14 230V 60W clear**	1	0,3366 €/Unit
		100	0,2493 €/Unit
	half-life 1000h	1.000	0,2266 €/Unit
	Length (mm): 97 Diameter (mm): 35 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (ºK): 2700 Socket: E14 Lumen: 600 Energy efficiency: E Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box 1 Unit		

E27 Incandescent Lamps

Resistance Decorative E27 Lamps



Code	Description	Lot (> =)	Price
E254040D	**Conical decorative lamp metallic filament 230V 40W E27 clear**	1	2,20 €/Unit
		10	1,73 €/Unit
	Average life 1000h	50	1,57 €/Unit
	Length (mm): 145 Diameter (mm): 64 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2200 Socket: E27 Lumen: 180 Energy efficiency: E Kwh/1000h: 40 Life (Hours): 1000		
	Packaging: Box 1 Unit		

Standard lamps E27 Energy Saver



Code	Description	Lot (> =)	Price
E251070	**GLS lamp 230V 70W E27 Energy Saver**	1	1,25 €/Unit
		10	0,95 €/Unit
	Average life 2000h. Energy saving 30%	100	0,85 €/Unit
	Length (mm): 105 Diameter (mm): 60 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 70 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 1200 Energy efficiency: D Kwh/1000h: 70 Life (Hours): 2000		
	Packaging: Box tab 1 Unit		
E251090	**GLS lamp 230V 100W E27 Energy Saver**	1	1,35 €/Unit
		10	1,00 €/Unit
	Average life 1500h. Energy saving 30%	100	0,90 €/Unit
	Length (mm): 105 Diameter (mm): 60 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 1800 Energy efficiency: D Kwh/1000h: 100 Life (Hours): 1500		
	Packaging: Box tab 1 Unit		

Standard lamps E27

E27 Incandescent Lamps

Standard lamps E27



Code	Description	Lot (> =)	Price
E251040R	**GLS lamp 230V 40W E27 clear with reinforced filament**	100	0,4235 €/Unit
		1.000	0,3850 €/Unit
	Industrial use	5.000	0,35 €/Unit
	Length (mm): 105 Diameter (mm): 60 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 345 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000		
	Packaging: Box 1 Unit		

E27 Spherical Energy Saver lamps



Code	Description	Lot (> =)	Price
E232028	**Ball lamp E27 230V 28W Energy Saver**	1	1,20 €/Unit
		10	0,90 €/Unit
	Average life 1000h. Energy saving 30%	100	0,80 €/Unit
	Length (mm): 72 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 28 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 370 Energy efficiency: D Kwh/1000h: 28 Life (Hours): 2000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		
E232042	**Ball lamp E27 230V 42W Energy Saver**	1	1,20 €/Unit
		10	0,90 €/Unit
	Average life 2000h. Energy saving 30%	100	0,80 €/Unit
	Length (mm): 72 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 42 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 630 Energy efficiency: D Kwh/1000h: 42 Life (Hours): 2000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box tab 1 Unit		

E27 Spherical lamps



Code	Description	Lot (> =)	Price
E232040R	**Ball lamp E27 230V 40W clear with reinforced filament**	100	0,4235 €/Unit
		1.000	0,3850 €/Unit
	For industrial use	5.000	0,35 €/Unit
	Length (mm): 72 Width (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 350 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		
	Packaging: Box 1 Unit		



Code	Description	Lot (> =)	Price
E242140	**Ball lamp E27 120V 40W frosted**	1	0,3494 €/Unit
		50	0,2588 €/Unit
	Average life 1.000h	100	0,2353 €/Unit
	Length (mm): 72 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 120 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 400 Energy efficiency: F Kwh/1000h: 40 CRI (≥): 100 Life (Hours): 1000		
	Packaging: Box 1 Unit		

Incandescent Lamps In Blister

E27 Standard bulb in Blister



Code	Description	Lot (> =)	Price

Incandescent Lamps In Blister

E27 Standard bulb in Blister



Code	Description	Lot (> =)	Price
E251040B	**Blister 2 GLS lamps 40W 230V E27 clair** Average life 1000h Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 360 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000 Packaging: Blister 2 Units	1 12 48	0,89 €/Bl. 0,66 €/Bl. 0,60 €/Bl.
E251140B	**Blister 2 GLS lamps 40W 230V E27 inside frosted** Average life 1000h Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (ºK): 2700 Socket: E27 Lumen: 360 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000 Packaging: Blister 2 Units	1 12 48	0,89 €/Bl. 0,66 €/Bl. 0,60 €/Bl.

Reflector Lamps

R50 Reflector E14 lamp



Code	Description	Lot (> =)	Price
E280160	**Reflector lamp R50 E14 60W inside frosted** Average life 1000h Diameter (mm): 50 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (ºK): 2700 Socket: E14 Candelas: 900 Angle (º): 30 Energy efficiency: D Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0 Packaging: Box tab 1 Unit	1 50 100	0,70 €/Unit 0,5170 €/Unit 0,47 €/Unit

R80 Reflector E27 lamp



Code	Description	Lot (> =)	Price
E253099	**Reflector lamp R80 E27 100W clear** half-life 1000h Diameter (mm): 80 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Colour Temperature (ºK): 2700 Socket: E27 Candelas: 450 Angle (º): 80 Energy efficiency: D Kwh/1000h: 100 Life (Hours): 1000 Packaging: Box tab 1 Unit	1 50 100	0,88 €/Unit 0,65 €/Unit 0,59 €/Unit

Halotec Lighting

Led Luminaires

Led Projector with detector



Code	Description	Lot (> =)	Price
SK09410	**Led projector with presence detector 20W** Detection area: 10m x 120º; installation height of 2.3 to 3m. Stainless steel screws. Tempered glass, heat shock resistant. Class Length (mm): 245 Width (mm): 140 High (mm): 60 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 20 Room Temperature (°C): -25~+40 Critical Temperature (°C): 40 Colour Temperature (ºK): 6000 Lumen: 1400 Angle (º): 120 Energy efficiency: A Life (Hours): 30000 Ingress Protection: IP44 Packaging: Box 1 Unit	1 24	15,41 €/Unit 14,01 €/Unit

LED Projectors

LED Projectors



Code	Description	Lot (> =)	Price
SK09401	**Spotlight LED 10W 5000K black**	**1**	**8,30** €/Unit
		10	**7,20** €/Unit
	20leds SMD 5730	**20**	**6,50** €/Unit
	Length (mm): 135 Width (mm): 115 High (mm): 40 Colour: Black Voltage In (Vac): 85~265 Power (W): 10 Colour Temperature (ºK): 5000 Lumen: 800 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.9		
	Packaging: Box 1 Unit		
SK09402	**Spotlight LED 10W 3000K black**	**1**	**8,30** €/Unit
		10	**7,20** €/Unit
	20leds SMD 5730	**20**	**6,50** €/Unit
	Length (mm): 135 Width (mm): 115 High (mm): 40 Colour: Black Voltage In (Vac): 85~265 Power (W): 10 Colour Temperature (ºK): 3000 Lumen: 800 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		
	Packaging: Box 1 Unit		



Code	Description	Lot (> =)	Price
SK09403	**Spotlight LED 20W 5000K black**	**1**	**13,50** €/Unit
		10	**11,70** €/Unit
	40leds SMD 5730	**20**	**10,60** €/Unit
	Length (mm): 183 Width (mm): 155 High (mm): 47 Colour: Black Voltage In (Vac): 85~265 Power (W): 20 Colour Temperature (ºK): 5000 Lumen: 1600 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		
	Packaging: Box 1 Unit		
SK09404	**Spotlight LED 20W 3000K black**	**1**	**13,50** €/Unit
		10	**11,70** €/Unit
	40leds SMD 5730	**20**	**10,60** €/Unit
	Length (mm): 183 Width (mm): 155 High (mm): 47 Colour: Black Voltage In (Vac): 85~265 Power (W): 20 Colour Temperature (ºK): 3000 Lumen: 1600 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		
	Packaging: Box 1 Unit		



Code	Description	Lot (> =)	Price
SK09405	**Spotlight LED 30W 5000K black**	**1**	**18,70** €/Unit
		10	**16,30** €/Unit
	60leds SMD 5730	**20**	**14,50** €/Unit
	Length (mm): 230 Width (mm): 190 High (mm): 54 Colour: Black Voltage In (Vac): 85~265 Power (W): 30 Colour Temperature (ºK): 5000 Lumen: 2400 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		
	Packaging: Box 1 Unit		
SK09406	**Spotlight LED 30W 3000K black**	**1**	**18,70** €/Unit
		10	**16,30** €/Unit
	60leds SMD 5730	**20**	**14,50** €/Unit
	Length (mm): 230 Width (mm): 190 High (mm): 54 Colour: Black Voltage In (Vac): 85~265 Power (W): 30 Colour Temperature (ºK): 3000 Lumen: 2400 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		
	Packaging: Box 1 Unit		



Code	Description	Lot (> =)	Price

Led Luminaires

LED Projectors



Code	Description	Lot (> =)	Price
SK09407	**Spotlight LED 50W 5000K black**	**1**	**29,20** €/Unit
		8	**25,50** €/Unit
	100leds SMD 5730	**16**	**22,10** €/Unit
	Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (ºK): 5000 Lumen: 4000 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65		
	Packaging: Box 1 Unit		
SK09408	**Spotlight LED 50W 3000K black**	**1**	**29,20** €/Unit
		8	**25,50** €/Unit
	100leds SMD 5730	**16**	**22,10** €/Unit
	Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (ºK): 3000 Lumen: 4000 Angle (º): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.9		
	Packaging: Box 1 Unit		

LED Strips

Code	Description	Lot (> =)	Price
E283046	**T-5 Led Lamp 4W 6500K cool white**	**1**	**5,50** €/Unit
		5	**4,58** €/Unit
	With switch. Includes cable with European plug of 1m length and auxiliary cable 20cm to connect to another strip. It also allows direct connection to another terminal strip. Easy installation.	**15**	**4,20** €/Unit
	Length (mm): 308 Width (mm): 22.5 High (mm): 36 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Colour Temperature (ºK): 6500 Lumen: 360 Angle (º): 130 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 25000 Ingress Protection: IP20 Dimmable: NO		
	Packaging: Box 25 Units		

Outdoor Lights

Aluminum Round Outdoor Light



Code	Description	Lot (> =)	Price
SK09113	**Aluminum Wall bracket round with half cover 100W white**	**1**	**5,09** €/Unit
		10	**4,63** €/Unit
	Watertight IP44	**20**	**4,41** €/Unit
	High (mm): 125 Diameter (mm): 244 Colour: White Voltage In (Vac): 240 Socket: E27 Ingress Protection: IP44		
	Packaging: Box 1 Unit		



Code	Description	Lot (> =)	Price
SK09114	**Aluminum Wall bracket round with half cover 100W black**	**1**	**5,09** €/Unit
		10	**4,63** €/Unit
	Watertight IP44	**20**	**4,41** €/Unit
	High (mm): 125 Diameter (mm): 244 Colour: Black Voltage In (Vac): 240 Socket: E27 Ingress Protection: IP44		
	Packaging: Box 1 Unit		

Halogen Bulb

Fixed Halogen Bulb 12V Kit

Halogen Bulb

Fixed Halogen Bulb 12V Kit



Code	Description	Lot (> =)	Price
SK09159	**Kit Halogen Spotlight 12V fixed white**	1	3,71 €/Unit
		10	3,37 €/Unit
	Includes installation instructions, electronic transformer and all accessories for installation	20	3,22 €/Unit
	Colour: White Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK09160	**Kit Halogen Spotlight 12V fixed chrome satin**	1	3,89 €/Unit
		10	3,53 €/Unit
	Includes installation instructions, electronic transformer and all accessories for installation	20	3,37 €/Unit
	Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK09161	**Kit Halogen Spotlight 12V fixed nickel satin**	1	3,89 €/Unit
		10	3,53 €/Unit
	Includes installation instructions and all accessories for installation	20	3,37 €/Unit
	Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		
	Packaging: Blister 1 Unit		

Fixed 230V Halogen Bulb Kit



Code	Description	Lot (> =)	Price
SK09155	**Kit Halogen Spotlight GU-10 fixed nickel satin**	1	2,50 €/Unit
		10	2,27 €/Unit
	Includes installation instructions and all accessories for installation	20	2,16 €/Unit
	Voltage In (Vac): 230 Power (W): 50 Socket: GU10 Energy efficiency: D Kwh/1000h: 50		
	Packaging: Blister 1 Unit		

Kit 230V Halogen Bulb tilt



Code	Description	Lot (> =)	Price
SK09151	**Kit Halogen Spotlight GZ-10 adjustable chrome satin**	1	2,60 €/Unit
		10	2,37 €/Unit
	Includes installation instructions and all accessories for installation	20	2,25 €/Unit
	Voltage In (Vac): 230 Power (W): 50 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50		
	Packaging: Blister 1 Unit		



Code	Description	Lot (> =)	Price
SK09152	**Kit Halogen Spotlight GZ-10 adjustable nickel satin**	1	2,60 €/Unit
		10	2,37 €/Unit
	Includes installation instructions and all accessories for installation	20	2,25 €/Unit
	Voltage In (Vac): 230 Power (W): 50 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50		
	Packaging: Blister 1 Unit		

Directional Spotlights

Portable Halogene Spotlights

Directional Spotlights

Portable Halogene Spotlights



Code	Description	Lot (> =)	Price
SK09104	**150W Portable Halogen Projector 1.5 m cable** IP54. Lamp R7s 78mm included. Cable 3G1,00mm2 with Schuko plug Length (mm): 250 Width (mm): 185 Colour: Black Socket: R7s Energy efficiency: E Kwh/1000h: 150 Packaging: Box 1 Unit	1 10 20	5,40 €/Unit 4,91 €/Unit 4,68 €/Unit

Tilt Halogen Spotlights with sensor



Code	Description	Lot (> =)	Price
SK09100	**150W halogen projector with motion sensor** IP44. Detection 180°. Directional and adjustable at time and sensibility, R7s 78mm bulb included Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 150 Socket: R7s Angle (°): 180 Energy efficiency: E Kwh/1000h: 150 Packaging: Box 1 Unit	1 10 20	7,17 €/Unit 6,52 €/Unit 6,21 €/Unit



Code	Description	Lot (> =)	Price
SK09101	**500W halogen projector with motion sensor** IP44. Detection 180°. Directional and adjustable at time and sensibility, R7s 118mm bulb included Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 150 Socket: R7s Angle (°): 180 Energy efficiency: E Kwh/1000h: 500 Packaging: Box 1 Unit	1 10 20	8,34 €/Unit 7,59 €/Unit 7,23 €/Unit

Halotec Installation Material

Extractors

Extractors



Code	Description	Lot (> =)	Price
SK14001	**RICO100 ABS White Axial Extractor White** Revolutions per minute: 2,650; Sound pressure level 40dB. Class II .. Wall Mounting. Length (mm): 158 Width (mm): 158 High (mm): 76 Diameter (mm): 99 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.12 Frecuency (Hz): 50 Incandescence equivalence (W): 15 Packaging: Box 1 Unit	1 20	13,35 €/Unit 12,16 €/Unit
SK14002	**RICO100T ABS white domestic axial extractor with timer** Revolutions per minute: 2,650; Sound pressure level 40dB. Class II With timer Wall Mounting. Length (mm): 158 Width (mm): 158 High (mm): 76 Diameter (mm): 99 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.12 Frecuency (Hz): 50 Power (W): 15 Packaging: Box 1 Unit	1 20	21,14 €/Unit 19,22 €/Unit
SK14003	**Domic axial extractor. 100TH white with timer and humidity sensor** Revolutions per minute: 2,650; Sound pressure level 40dB. Length (mm): 158 Width (mm): 158 High (mm): 76 Diameter (mm): 99 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.12 Frecuency (Hz): 50 Power (W): 15 Packaging: Box 1 Unit	1 20	23,12 €/Unit 21,01 €/Unit

Extractors

Extractors



Code	Description	Lot (> =)	Price
SK14004	**RICO120 domestic axial extractor in white ABS** Revolutions per minute: 2,650; Sound pressure level 40dB. Class II Wall mount Single phase motor. Length (mm): 158 Width (mm): 158 High (mm): 76 Diameter (mm): 118 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.13 Frecuency (Hz): 50 Power (W): 17 Packaging: Box 1 Unit	**1** **20**	**14,69** €/Unit **13,35** €/Unit
SK14005	**RICO120 Home Axial Extractor White ABS with timer** Revolutions per minute: 2,650; Sound pressure level 40dB. Class II .. Wall Mounting. Length (mm): 158 Width (mm): 158 High (mm): 76 Diameter (mm): 118 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.13 Frecuency (Hz): 50 Power (W): 17 Packaging: Box 1 Unit	**1** **20**	**22,15** €/Unit **20,14** €/Unit
SK14006	**Axial extractor RICO120T white with timer and humidity sensor** Revolutions per minute: 2,650; Sound pressure level 40dB. Length (mm): 158 Width (mm): 158 High (mm): 76 Diameter (mm): 118 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.13 Frecuency (Hz): 50 Power (W): 17 Packaging: Box 1 Unit	**1** **20**	**24,21** €/Unit **22,01** €/Unit

Sealed Boxes

4 cones Sealed Round Box



Code	Description	Lot (> =)	Price
SK04701	**Round junction box 4 cones.Diametro 65x35mm** IP56. Surface box High (mm): 35 Diameter (mm): 65 Packaging: Shrinkwrapped 12 Units	**12** **60** **120**	**0,65** €/Unit **0,5949** €/Unit **0,5666** €/Unit

6 cones Sealed Square Box



Code	Description	Lot (> =)	Price
SK04702	**Square junction box 6 cones 80x80x40mm** IP56. Surface box Length (mm): 80 Width (mm): 80 High (mm): 40 Packaging: Shrinkwrapped 10 Units	**10** **20** **40**	**1,02** €/Unit **0,93** €/Unit **0,89** €/Unit
SK04703	**Square junction box 6 cones 100x100x50mm** IP56. Surface box Length (mm): 100 Width (mm): 100 High (mm): 50 Packaging: Shrinkwrapped 5 Units	**4** **36** **72**	**2,15** €/Unit **1,96** €/Unit **1,86** €/Unit

10 cones sealed Rectangular Box



Code	Description	Lot (> =)	Price

Sealed Boxes

10 cones sealed Rectangular Box



Code	Description	Lot (> =)	Price
SK04704	**Square junction box 10 cones 150x110x70mm**	**4**	**2,99** €/Unit
		25	**2,71** €/Unit
	IP56. Surface box	**60**	**2,59** €/Unit
	Length (mm): 150 Width (mm): 110 High (mm): 70		
	Packaging: Shrinkwrapped 4 Units		
SK04705	**Square junction box 10 cones 190x140x70mm**	**3**	**3,92** €/Unit
		21	**3,57** €/Unit
	IP56. Surface box	**42**	**3,39** €/Unit
	Length (mm): 160 Width (mm): 135 High (mm): 75		
	Packaging: Shrinkwrapped 3 Units		

Recessed conduit boxes

JUNCTION BOX WITH SCREWS



Code	Description	Lot (> =)	Price
SK08900	**Linkable universal square box mechanisms 65x65x42mm screw**	**28**	**0,1342** €/Unit
		50	**0,1220** €/Unit
	Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures.	**840**	**0,1129** €/Unit
	Length (mm): 65 Width (mm): 65 High (mm): 42 Colour: Black		
	Packaging: Blister 28 Units		



Code	Description	Lot (> =)	Price
SK08901	**100x100x50mm junction box with screws**	**10**	**0,4691** €/Unit
		50	**0,4264** €/Unit
	Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures.	**200**	**0,3949** €/Unit
	Length (mm): 100 Width (mm): 100 High (mm): 50		
	Packaging: Shrinkwrapped 10 Units		
SK08917	**100x100x50mm junction box cover with screws**	**1**	**0,2984** €/Unit
		10	**0,2713** €/Unit
	SK08901 box cover for replacement. On request	**20**	**0,2512** €/Unit
	Length (mm): 100 Width (mm): 100 High (mm): 50		



Code	Description	Lot (> =)	Price
SK08902	**160x100x50mm junction box with screws**	**10**	**0,84** €/Unit
		50	**0,76** €/Unit
	Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures.	**120**	**0,72** €/Unit
	Length (mm): 160 Width (mm): 100 High (mm): 50		
	Packaging: Shrinkwrapped 10 Units		
SK08918	**160x100x50mm junction box cover with screws**	**1**	**0,4285** €/Unit
		10	**0,3895** €/Unit
	SK08902 box cover for replacement. On request	**20**	**0,3606** €/Unit
	Length (mm): 160 Width (mm): 100 High (mm): 50		

JUNCTION BOX WITH SCREWS



Code	Description	Lot (> =)	Price
SK08903	**200x130x60mm junction box with screws** Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures. Length (mm): 200 Width (mm): 130 High (mm): 60 Packaging: Box 70 Units	2 10 70	1,23 €/Unit 1,13 €/Unit 1,07 €/Unit
SK08919	**200x130x60mm junction box cover with screws** SK08903 box cover for replacement. On request Length (mm): 200 Width (mm): 130 High (mm): 60	1 10 20	0,5203 €/Unit 0,4730 €/Unit 0,4379 €/Unit



Code	Description	Lot (> =)	Price
SK08904A	**150x150x50mm junction box with screws and cover** Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures. Length (mm): 150 Width (mm): 150 High (mm): 50	5 50 100	1,98 €/Unit 1,79 €/Unit 1,73 €/Unit



Code	Description	Lot (> =)	Price
SK08904	**150x150x65mm junction box with screws** Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures. Length (mm): 150 Width (mm): 150 High (mm): 65 Packaging: Shrinkwrapped 4 Units	4 20 64	1,23 €/Unit 1,13 €/Unit 1,07 €/Unit
SK08905	**200x200x65mm junction box with screws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens Length (mm): 200 Width (mm): 200 High (mm): 65 Packaging: Shrinkwrapped 2 Units	2 10 40	1,96 €/Unit 1,77 €/Unit 1,69 €/Unit
SK08921	**200x200x65mm junction box cover with screws** SK08905 box cover for replacement. On request Length (mm): 200 Width (mm): 200 High (mm): 65	1 10 20	0,91 €/Unit 0,82 €/Unit 0,76 €/Unit



Code	Description	Lot (> =)	Price
SK08906	**Type junction box with screws ICT 500x300x60mm** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens Length (mm): 500 Width (mm): 300 High (mm): 60 Packaging: Shrinkwrapped 1 Unit	1 5 16	6,57 €/Unit 5,97 €/Unit 5,68 €/Unit
SK08922	**ICT junction box lid 500x300x60mm screw type** SK08906 box cover for replacement. On request Length (mm): 500 Width (mm): 300 High (mm): 60	1 10 20	3,80 €/Unit 3,45 €/Unit 3,29 €/Unit

JUNCTION BOX WITH PLASTIC CLAWS



Code	Description	Lot (> =)	Price
SK08908	**Round 80x40mm junction box with plastic claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens High (mm): 40 Diameter (mm): 80 Packaging: Shrinkwrapped 10 Units	10 50 420	0,3050 €/Unit 0,2773 €/Unit 0,2567 €/Unit
SK08924	**Round 80x40mm junction box cover with plastic claws** SK08908 box cover for replacement. On request High (mm): 40 Diameter (mm): 80	1 10 20	0,2065 €/Unit 0,1878 €/Unit 0,1739 €/Unit




Code	Description	Lot (> =)	Price
SK08909	**Round 90x40mm junction box with plastic claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens High (mm): 40 Diameter (mm): 90 Packaging: Shrinkwrapped 10 Units	10 50 320	0,3606 €/Unit 0,3279 €/Unit 0,3036 €/Unit
SK08925	**Round junction box cover with plastic claws 90x40mm** SK08909 box cover for replacement. On request High (mm): 40 Diameter (mm): 90	1 10 20	0,2218 €/Unit 0,2017 €/Unit 0,1868 €/Unit



Code	Description	Lot (> =)	Price
SK08910	**100x50mm round junction box with plastic claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens High (mm): 50 Diameter (mm): 100 Packaging: Shrinkwrapped 10 Units	10 50 280	0,4702 €/Unit 0,4275 €/Unit 0,3958 €/Unit




Code	Description	Lot (> =)	Price
SK08911	**100x100x50mm junction box with plastic claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens Length (mm): 100 Width (mm): 100 High (mm): 50 Packaging: Shrinkwrapped 10 Units	10 50 200	0,5366 €/Unit 0,4878 €/Unit 0,4517 €/Unit
SK08927	**100x100x50mm junction box Cover with plastic claws** SK08911 box cover for replacement. On request Length (mm): 100 Width (mm): 100 High (mm): 50	1 10 20	0,3137 €/Unit 0,2852 €/Unit 0,2640 €/Unit



Code	Description	Lot (> =)	Price

JUNCTION BOX WITH PLASTIC CLAWS




Code	Description	Lot (> =)	Price
SK08941A	**Junction box 150x150x50mm with plastic claws and cover** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Length (mm): 150 Width (mm): 150 High (mm): 50	5 50 100	1,98 €/Unit 1,79 €/Unit 1,73 €/Unit



Code	Description	Lot (> =)	Price
SK08942A	**Junction box 250x250x65mm with plastic claws and cover** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Length (mm): 250 Width (mm): 250 High (mm): 65	1 20 40	5,11 €/Unit 4,65 €/Unit 4,46 €/Unit

Watertight Box Hollow Partitions



Code	Description	Lot (> =)	Price
SK08934	**139x68x45mm mechanism housing with metal claws for hollow partitions** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, for interiors in domestic fixed installations or similar. Boxes supplied with screws. Free of halogens Length (mm): 139 High (mm): 45 Diameter (mm): 68 Packaging: Shrinkwrapped 10 Units	10 50 170	1,23 €/Unit 1,12 €/Unit 1,07 €/Unit




Code	Description	Lot (> =)	Price
SK08936	**Junction box 105x105x47mm with metal claws for hollw partitions** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Length (mm): 105 Width (mm): 105 High (mm): 47 Packaging: Shrinkwrapped 4 Units	4 74 148	1,32 €/Unit 1,21 €/Unit 1,13 €/Unit
SK08937	**Junction box 165x105x47mm with metal claws for hollow partitions** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Length (mm): 165 Width (mm): 105 High (mm): 47 Packaging: Shrinkwrapped 4 Units	4 48 96	1,90 €/Unit 1,73 €/Unit 1,61 €/Unit
SK08938	**Junction box 232x132x47mm with metal claws for hollow partitions** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Length (mm): 232 Width (mm): 132 High (mm): 47 Packaging: Shrinkwrapped 2 Units	2 31 62	2,19 €/Unit 1,96 €/Unit 1,84 €/Unit




Code	Description	Lot (> =)	Price
SK08939A	**218x76x45mm mechanism housing with metal claws for hollow partitions** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Width (mm): 45 High (mm): 76 Diameter (mm): 218 Colour: Black	5 50 100	2,59 €/Unit 2,36 €/Unit 2,27 €/Unit

Watertight Box Hollow Partitions



Code	Description	Lot (> =)	Price
SK08940A	**290x76x45mm mechanism housing with metal claws for hollow partitions** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic installations or similar, with cover and screws. Free of halogens Width (mm): 45 High (mm): 76 Diameter (mm): 290 Colour: Black	**5** **40** **80**	**6,43** €/Unit **5,82** €/Unit **5,61** €/Unit


JUNCTION BOX WITH METAL CLAWS



Code	Description	Lot (> =)	Price
SK08913	**80x40mm round junction box with metal claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens High (mm): 40 Diameter (mm): 80 Packaging: Shrinkwrapped 10 Units	**10** **50** **360**	**0,59** €/Unit **0,53** €/Unit **0,4889** €/Unit
SK08929	**Round junction box Cover with metal claws 80x40mm** SK08913 box cover for replacement. On request High (mm): 40 Diameter (mm): 80	**1** **10** **20**	**0,4285** €/Unit **0,3895** €/Unit **0,3606** €/Unit



Code	Description	Lot (> =)	Price
SK08914	**100x50mm round junction box with metal claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens High (mm): 50 Diameter (mm): 100 Packaging: Shrinkwrapped 10 Units	**10** **50** **260**	**0,77** €/Unit **0,70** €/Unit **0,65** €/Unit
SK08930	**100x50mm round junction box Cover with metal claws** SK08914 box cover for replacement. On request High (mm): 50 Diameter (mm): 100	**1** **10** **20**	**0,4518** €/Unit **0,4108** €/Unit **0,3803** €/Unit



Code	Description	Lot (> =)	Price
SK08915	**100x100x50mm junction box with metal claws** Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, intended for indoor use in fixed domestic or similar installations. Free of halogens Length (mm): 100 Width (mm): 100 High (mm): 50 Packaging: Shrinkwrapped 10 Units	**10** **50** **200**	**0,89** €/Unit **0,81** €/Unit **0,75** €/Unit
SK08931	**100x100x50mm junction box Cover with metal claws** SK08901 box cover for replacement. On request Length (mm): 100 Width (mm): 100 High (mm): 50	**1** **10** **20**	**0,5595** €/Unit **0,5085** €/Unit **0,4709** €/Unit



Code	Description	Lot (> =)	Price

Recessed conduit boxes

JUNCTION BOX WITH METAL CLAWS



Code	Description	Lot (> =)	Price
SK08916A	**175x114x50mm junction box with metal claws**	**5**	**1,58** €/Unit
		50	**1,44** €/Unit
	Enclosures for electrical accessories, which does not exceed the voltage or 1500Vcc 1000V, intended for indoor household or similar fixtures.	**100**	**1,32** €/Unit
	Length (mm): 175 Width (mm): 114 High (mm): 50 Colour: Black		
	CE		
SK08932	**160x100x50mm junction box Cover with metal claws**	**1**	**0,87** €/Unit
		10	**0,79** €/Unit
	SK08914 box cover for replacement. On request	**20**	**0,73** €/Unit
	Length (mm): 160 Width (mm): 100 High (mm): 50		
	CE		



Code	Description	Lot (> =)	Price
SK08933	**68x45mm mechanism housing with metal claws for hollow partitions**	**10**	**0,67** €/Unit
		50	**0,61** €/Unit
	Enclosures for electrical accessories, whose voltage does not exceed 1000Vac or 1500Vdc, for interiors in domestic fixed installations or similar. Boxes supplied with screws. Free of halogens	**350**	**0,58** €/Unit
	High (mm): 45 Diameter (mm): 68		
	Packaging: Shrinkwrapped 10 Units		
	CE		



Code	Description	Lot (> =)	Price
SK08935	**Joint for mechanism housing**	**1**	**0,0371** €/Unit
		50	**0,0338** €/Unit
	Union for boxes SK08933 and SK08934	**100**	**0,0313** €/Unit
	Packaging: Bag 50 Units		

Cable Guide

Fixed cable guide



Code	Description	Lot (> =)	Price
SK13001	**Cable guide 5 meters with fixed brass terminal**	**1**	**3,19** €/Unit
		10	**2,90** €/Unit
	Made of POLYAMIDE 6.Macizas.Flexible head and LATON FIXED hook terminal.	**20**	**2,76** €/Unit
	Length (mm): 5000 Diameter (mm): 4		
	Packaging: Box 10 Units		
SK13002	**Cable guide 10 meters with fixed brass terminal**	**1**	**4,76** €/Unit
		10	**4,32** €/Unit
	Made of POLYAMIDE 6.Macizas.Flexible head and LATON FIXED hook terminal.	**20**	**4,12** €/Unit
	Length (mm): 10000 Diameter (mm): 4		
	Packaging: Box 10 Units		
SK13003	**Cable guide 15 meters with fixed brass terminal**	**1**	**6,56** €/Unit
		10	**5,96** €/Unit
	Made of POLYAMIDE 6.Macizas.Flexible head and LATON FIXED hook terminal.	**20**	**5,67** €/Unit
	Length (mm): 15000 Diameter (mm): 4		
	Packaging: Box 10 Units		
SK13004	**Cable guide 20 meters with fixed brass terminal**	**1**	**8,11** €/Unit
		10	**7,37** €/Unit
	Made of POLYAMIDE 6.Macizas.Flexible head and LATON FIXED hook terminal.	**20**	**7,02** €/Unit
	Length (mm): 20000 Diameter (mm): 4		
	Packaging: Box 10 Units		
SK13005	**Cable guide 25 meters with fixed brass terminal**	**1**	**9,71** €/Unit
		10	**8,83** €/Unit
	Made of POLYAMIDE 6.Macizas.Flexible head and LATON FIXED hook terminal.	**20**	**8,41** €/Unit
	Length (mm): 25000 Diameter (mm): 4		
	Packaging: Box 10 Units		

Cable Guide

Fixed cable guide



Code	Description	Lot (> =)	Price
SK13006	**Cable guide 30 meters with fixed brass terminal** Made of POLYAMIDE 6.Macizas.Flexible head and LATON FIXED hook terminal. Length (mm): 30000 Diameter (mm): 4 Packaging: Box 10 Units	1 10 20	11,24 €/Unit 10,21 €/Unit 9,73 €/Unit

Cable Piping Systems

System of pipeline self adhesive



Code	Description	Lot (> =)	Price
SK13101	**Self-adhesive PVC gutter with cover 12x12mm** Box of 170 pieces of 2m. Length (mm): 2000 Width (mm): 12 High (mm): 12 Colour: White Packaging: Box 340 Meters	340	0,48 €/Mt.
SK13102	**Self-adhesive PVC gutter with cover 15x10mm** Box of 182 pieces of 2m. Length (mm): 2000 Width (mm): 15 High (mm): 10 Colour: White Packaging: Box 364 Meters	364	0,74 €/Mt.
SK13103	**Self-adhesive PVC gutter with cover 16x16mm** Box of 96 pieces of 2m. Length (mm): 2000 Width (mm): 16 High (mm): 16 Colour: White Packaging: Box 192 Meters	192	0,5872 €/Mt.



Code	Description	Lot (> =)	Price
SK13104	**Self-adhesive PVC gutter with cover 20x10mm** Box of 130 pieces of 2m. Length (mm): 2000 Width (mm): 20 High (mm): 10 Colour: White Packaging: Box 260 Meters	260	0,93 €/Mt.
SK13105	**Self-adhesive PVC gutter with cover 25x16mm** Box of 64 pieces of 2m. Length (mm): 2000 Width (mm): 25 High (mm): 16 Colour: White Packaging: Box 128 Meters	128	1,20 €/Mt.



Code	Description	Lot (> =)	Price
SK13106	**Self-adhesive PVC gutter with cover 25x25mm** Box of 40 pieces of 2m. Length (mm): 2000 Width (mm): 25 High (mm): 25 Colour: White Packaging: Box 80 Meters	80	1,13 €/Mt.
SK13109	**Self-adhesive PVC gutter with cover 40x40mm** Box of 20 pieces of 2m. Length (mm): 2000 Width (mm): 40 High (mm): 40 Colour: White Packaging: Box 48 Meters	48	2,32 €/Mt.



Code	Description	Lot (> =)	Price
SK13107	**Self-adhesive PVC gutter with cover 30x20mm** Box of 42 pieces of 2m. Length (mm): 2000 Width (mm): 30 High (mm): 20 Colour: White Packaging: Box 84 Meters	84	1,21 €/Mt.



Code	Description	Lot (> =)	Price
SK13108	**Self-adhesive PVC gutter with cover 40x25mm** Box of 25 pieces of 2m. Length (mm): 2000 Width (mm): 40 High (mm): 25 Colour: White Packaging: Box 50 Meters	50	1,74 €/Mt.

TV , Video and Telephone Halotec Material

Tv & Video accessories

HDMI Connectors

HDMI Connectors



Code	Description	Lot (> =)	Price
SK10056	Conection HDMI níquel 1m .Bag with tab	1	2,30 €/Unit
		40	2,00 €/Unit
		80	1,90 €/Unit

HALOTEC®

Packaging: Bag with tab 1 Unit

CE

TV Euroconnectors



Code	Description	Lot (> =)	Price
SK10003	SCART 21-pin connection. Bag with tab	1	0,95 €/Unit
		10	0,86 €/Unit
		20	0,82 €/Unit

HALOTEC®

Packaging: Bag with tab 1 Unit

Code	Description	Lot (> =)	Price
SK10004	21-pin Scart connection Blister	1	1,50 €/Unit
		10	1,37 €/Unit
		20	1,30 €/Unit

HALOTEC®

Packaging: Blister 1 Unit



Code	Description	Lot (> =)	Price
SK10007	21-pin Scart Connection . Bag with tab	1	1,58 €/Unit
		10	1,37 €/Unit
		20	1,30 €/Unit

HALOTEC®

Packaging: Bag with tab 1 Unit



Code	Description	Lot (> =)	Price
SK10009	3 SCART 21-pin connection. Bag with tab	1	2,19 €/Unit
		10	1,91 €/Unit
		20	1,82 €/Unit

HALOTEC®

Packaging: Bag with tab 1 Unit



Code	Description	Lot (> =)	Price
SK10011	21-pin Scart connection 5. Bag with tab	1	2,47 €/Unit
		10	2,15 €/Unit
		20	2,05 €/Unit

HALOTEC®

Packaging: Bag with tab 1 Unit

Aerial Connectors



Code	Description	Lot (> =)	Price
SK10015	Straight female antenna connector	25	0,1040 €/Unit
		50	0,0945 €/Unit
		100	0,09 €/Unit

HALOTEC®

Packaging: Box 25 Units



Code	Description	Lot (> =)	Price
SK10017	Antenna connector male elbow	25	0,0809 €/Unit
		50	0,0735 €/Unit
		100	0,07 €/Unit

HALOTEC®

Packaging: Box 25 Units



Code	Description	Lot (> =)	Price
SK10023P	Antenna cable splicer. Bag with tab	1	0,1386 €/Unit
		10	0,1260 €/Unit
		20	0,12 €/Unit

HALOTEC®

Packaging: Bag with tab 1 Unit



Code	Description	Lot (> =)	Price

Aerial Connectors



Code	Description	Lot (> =)	Price
SK10025	TV Adapter Male to Male	25	0,0809 €/Unit
		50	0,0735 €/Unit
		100	0,07 €/Unit
	Packaging: Box 25 Units		
SK10025P	TV Adapter Male to Male. Bag with tab	1	0,1386 €/Unit
		10	0,1260 €/Unit
		20	0,12 €/Unit
	Packaging: Bag with tab 1 Unit		



Code	Description	Lot (> =)	Price
SK10027	Female to Female TV Adapter	25	0,0693 €/Unit
		50	0,0630 €/Unit
		100	0,06 €/Unit
	Packaging: Box 25 Units		
SK10027P	Female to Female TV Adapter. Bag with tab	1	0,1155 €/Unit
		10	0,1050 €/Unit
		20	0,10 €/Unit
	Packaging: Bag with tab 1 Unit		



Code	Description	Lot (> =)	Price
SK10029	Antenna cable connector "F" male	25	0,0809 €/Unit
		50	0,0735 €/Unit
		100	0,07 €/Unit
	Packaging: Box 25 Units		



Code	Description	Lot (> =)	Price
SK10035P	Adapter "F" tab double washer + tuerca.Bolsa	1	0,1098 €/Unit
		10	0,0998 €/Unit
		20	0,0950 €/Unit
	Packaging: Bag with tab 1 Unit		

TV Adapters



Code	Description	Lot (> =)	Price
SK10001	TV Adapter	1	1,19 €/Unit
		10	1,04 €/Unit
		20	0,99 €/Unit
	Packaging: Bag with tab 1 Unit		

Audio Connections



Code	Description	Lot (> =)	Price
SK10041	Connecting Audio 2 RCA to 2 male RCA male	1	0,73 €/Unit
		10	0,63 €/Unit
		20	0,60 €/Unit
	Packaging: Bag with tab 1 Unit		




Code	Description	Lot (> =)	Price
SK10043	Audio Connection RCA to 1 Male 2 Male RCA	1	0,5074 €/Unit
		10	0,4412 €/Unit
		20	0,42 €/Unit
	Packaging: Bag with tab 1 Unit		



Code	Description	Lot (> =)	Price
SK10045	Audio 3 RCA male connection to 3 male RCA	1	0,93 €/Unit
		10	0,81 €/Unit
		20	0,77 €/Unit
	Packaging: Bag with tab 1 Unit		

Halotec Tools

Flathead Screwdriver



Code	Description	Lot (> =)	Price
SK07202	**Screwdriver Je ST4/125** Flat tipped width 4mm Length (mm): 125 Packaging: Hanger 1 Unit	**1** **12** **36**	**1,34** €/Unit **1,16** €/Unit **1,10** €/Unit
SK07203	**Screwdriver Je ST4/150** Flat tipped width 4mm Length (mm): 150 Packaging: Hanger 1 Unit	**1** **12** **36**	**1,34** €/Unit **1,16** €/Unit **1,10** €/Unit
SK07205	**Screwdriver Je ST5/125** Flat tipped width 5mm Length (mm): 125 Packaging: Hanger 1 Unit	**1** **12** **36**	**1,71** €/Unit **1,49** €/Unit **1,42** €/Unit
SK07206	**Screwdriver Je ST5/150** Flat tipped width 5mm Length (mm): 150 Packaging: Hanger 1 Unit	**1** **12** **36**	**1,71** €/Unit **1,49** €/Unit **1,42** €/Unit
SK07207	**Screwdriver Je ST6/125** Flat tipped width 6mm Length (mm): 125 Packaging: Hanger 1 Unit	**1** **12** **36**	**1,93** €/Unit **1,68** €/Unit **1,60** €/Unit
SK07208	**Screwdriver Je ST6-150MM** Flat tipped width 6mm Length (mm): 150 Packaging: Hanger 1 Unit	**1** **12** **36**	**2,01** €/Unit **1,75** €/Unit **1,67** €/Unit


Philips Screwdriver



Code	Description	Lot (> =)	Price
SK07209	**Screwdriver Philips Je ST4/75 PH-0** Tip Philips number 0 Length (mm): 75 Diameter (mm): 4 Packaging: Hanger 1 Unit	**1** **12** **36**	**1,23** €/Unit **1,07** €/Unit **1,02** €/Unit
SK07212	**Screwdriver Philips Je ST8/150 PH-3** Tip Philips number 3 Length (mm): 150 Diameter (mm): 8 Packaging: Hanger 1 Unit	**1** **12** **36**	**2,45** €/Unit **2,13** €/Unit **2,03** €/Unit

Torx Screwdriver

Torx Screwdriver



Code	Description	Lot (> =)	Price
SK07217	**Screwdriver Torx TX10 75mm** Tip Torx T10 Length (mm): 75 Diameter (mm): 5 Packaging: Hanger 1 Unit	1 6 24	1,52 €/Unit 1,38 €/Unit 1,31 €/Unit
SK07218	**Screwdriver Torx TX15 75mm** Tip Torx T15 Length (mm): 75 Diameter (mm): 5 Packaging: Hanger 1 Unit	1 6 24	1,52 €/Unit 1,38 €/Unit 1,31 €/Unit
SK07219	**Screwdriver Torx TX20 100mm** Tip Torx T20 Length (mm): 100 Diameter (mm): 6 Packaging: Hanger 1 Unit	1 6 24	1,75 €/Unit 1,59 €/Unit 1,51 €/Unit
SK07220	**Screwdriver Torx TX25 100mm** Tip Torx T25 Length (mm): 100 Diameter (mm): 6 Packaging: Hanger 1 Unit	1 6 24	1,75 €/Unit 1,59 €/Unit 1,51 €/Unit
SK07221	**Screwdriver Torx TX30 125mm** Tip Torx T30 Length (mm): 125 Diameter (mm): 6 Packaging: Hanger 1 Unit	1 6 24	1,84 €/Unit 1,67 €/Unit 1,59 €/Unit

Pozidrive Screwdriver



Code	Description	Lot (> =)	Price
SK07213	**Screwdriver Pozidrive PZ0 75mm** Tip Pozidrive number 0 Length (mm): 75 Diameter (mm): 4 Packaging: Hanger 1 Unit	1 12 36	1,23 €/Unit 1,07 €/Unit 1,02 €/Unit
SK07216	**Screwdriver Pozidrive PZ3 150mm** Tip Pozidrive number 3 Length (mm): 150 Diameter (mm): 8 Packaging: Hanger 1 Unit	1 12 36	2,45 €/Unit 2,13 €/Unit 2,03 €/Unit

Double Screwdriver



Code	Description	Lot (> =)	Price

Screwdrivers

Double Screwdriver



Code	Description	Lot (> =)	Price
SK07222	**Screwdriver double PH2 flat tip y phillips**	**1**	**3,03** €/Unit
		12	**2,63** €/Unit
	Flat tip width 6mm and Philips 1.0	**36**	**2,50** €/Unit
	Length (mm): 100 Diameter (mm): 6.35		
	Packaging: Hanger 1 Unit		

Wrench

Wrench



Code	Description	Lot (> =)	Price
SK070001	**Wrench normal 8"**	**1**	**3,85** €/Unit
		10	**3,35** €/Unit
	Classic wrench 20cm in liegth. Maximum mouth opening 30mm.	**30**	**3,19** €/Unit
	Length (mm): 200		
	Packaging: Hanger 1 Unit		

Combination Wrenches

Combination Wrenches



Code	Description	Lot (> =)	Price
SK07101	**Wrench of 6**	**1**	**2,06** €/Unit
		12	**1,90** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**1,81** €/Unit
	Length (mm): 106		
	Packaging: Hanger 1 Unit		
SK07102	**Wrench of 7**	**1**	**2,08** €/Unit
		12	**1,93** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**1,84** €/Unit
	Length (mm): 116		
	Packaging: Hanger 1 Unit		
SK07103	**Wrench of 8**	**1**	**2,13** €/Unit
		12	**1,97** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**1,88** €/Unit
	Length (mm): 127		
	Packaging: Hanger 1 Unit		
SK07104	**Wrench of 9**	**1**	**2,21** €/Unit
		12	**2,05** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**1,95** €/Unit
	Length (mm): 136		
	Packaging: Hanger 1 Unit		
SK07105	**Wrench of 10**	**1**	**2,28** €/Unit
		12	**2,12** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**2,02** €/Unit
	Length (mm): 146		
	Packaging: Hanger 1 Unit		
SK07106	**Wrench of 11**	**1**	**2,44** €/Unit
		12	**2,26** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**2,15** €/Unit
	Length (mm): 157		
	Packaging: Hanger 1 Unit		
SK07107	**Wrench of 12**	**1**	**2,49** €/Unit
		12	**2,30** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**2,19** €/Unit
	Length (mm): 167		
	Packaging: Hanger 1 Unit		
SK07108	**Wrench of 13**	**1**	**2,69** €/Unit
		12	**2,49** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**2,37** €/Unit
	Length (mm): 176		
	Packaging: Hanger 1 Unit		


Combination Wrenches



Code	Description	Lot (> =)	Price
SK07109	**Wrench of 14**	**1**	**2,87** €/Unit
		12	**2,66** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**2,53** €/Unit
	Length (mm): 186		
	Packaging: Hanger 1 Unit		
SK07110	**Wrench of 15**	**1**	**3,35** €/Unit
		12	**3,10** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**2,95** €/Unit
	Length (mm): 196		
	Packaging: Hanger 1 Unit		
SK07111	**Wrench of 16**	**1**	**3,48** €/Unit
		12	**3,22** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**3,07** €/Unit
	Length (mm): 206		
	Packaging: Hanger 1 Unit		
SK07112	**Wrench of 17**	**1**	**3,86** €/Unit
		12	**3,57** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**3,40** €/Unit
	Length (mm): 217		
	Packaging: Hanger 1 Unit		
SK07113	**Wrench of 18**	**1**	**4,01** €/Unit
		12	**3,71** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**3,53** €/Unit
	Length (mm): 226		
	Packaging: Hanger 1 Unit		
SK07114	**Wrench of 19**	**1**	**4,09** €/Unit
		12	**3,78** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**36**	**3,60** €/Unit
	Length (mm): 236		
	Packaging: Hanger 1 Unit		
SK07115	**Wrench of 20**	**1**	**5,13** €/Unit
		6	**4,75** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**24**	**4,52** €/Unit
	Length (mm): 246		
	Packaging: Hanger 1 Unit		
SK07116	**Wrench of 21**	**1**	**5,74** €/Unit
		6	**5,31** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**24**	**5,06** €/Unit
	Length (mm): 256		
	Packaging: Hanger 1 Unit		
SK07117	**Wrench of 22**	**1**	**5,92** €/Unit
		6	**5,48** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**24**	**5,22** €/Unit
	Length (mm): 268		
	Packaging: Hanger 1 Unit		
SK07118	**Wrench of 23**	**1**	**6,52** €/Unit
		6	**6,04** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**24**	**5,75** €/Unit
	Length (mm): 279		
	Packaging: Hanger 1 Unit		
SK07119	**Wrench of 24**	**1**	**6,70** €/Unit
		6	**6,21** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**24**	**5,91** €/Unit
	Length (mm): 287		
	Packaging: Hanger 1 Unit		
SK07120	**Wrench of 25**	**1**	**7,51** €/Unit
		6	**6,96** €/Unit
	Combination wrench made of chrome vanadium steel for professional use.	**24**	**6,63** €/Unit
	Length (mm): 297		
	Packaging: Hanger 1 Unit		

Combination Wrenches

Combination Wrenches



Code	Description	Lot (> =)	Price
SK07121	**Wrench of 26** Combination wrench made of chrome vanadium steel for professional use. Length (mm): 307 Packaging: Hanger 1 Unit	**1** **6** **24**	**8,12** €/Unit **7,52** €/Unit **7,16** €/Unit
SK07122	**Wrench of 27** Combination wrench made of chrome vanadium steel for professional use. Length (mm): 317 Packaging: Hanger 1 Unit	**1** **6** **24**	**8,71** €/Unit **8,06** €/Unit **7,68** €/Unit
SK07123	**Wrench of 28** Combination wrench made of chrome vanadium steel for professional use. Length (mm): 327 Packaging: Hanger 1 Unit	**1** **6** **24**	**9,11** €/Unit **8,44** €/Unit **8,04** €/Unit
SK07124	**Wrench of 29** Combination wrench made of chrome vanadium steel for professional use. Length (mm): 336 Packaging: Hanger 1 Unit	**1** **6** **24**	**9,90** €/Unit **9,17** €/Unit **8,73** €/Unit
SK07125	**Wrench of 30** Combination wrench made of chrome vanadium steel for professional use. Length (mm): 347 Packaging: Hanger 1 Unit	**1** **6** **24**	**11,09** €/Unit **10,27** €/Unit **9,78** €/Unit
SK07126	**Wrench of 32** Combination wrench made of chrome vanadium steel for professional use. Length (mm): 366 Packaging: Hanger 1 Unit	**1** **6** **24**	**11,91** €/Unit **11,02** €/Unit **10,50** €/Unit

Allen Hex Wrench

Allen Hex Wrench



Code	Description	Lot (> =)	Price
SK07401	**Allen Wrench standard "L" flat tip 1,5mm** Black allen key 1,5mm flat tip. Measurement in L45x14mm. Length (mm): 45 Width (mm): 14 High (mm): 1.5 Colour: Black Packaging: Box 6 Units	**1** **60** **120**	**0,1419** €/Unit **0,1233** €/Unit **0,12** €/Unit
SK07404	**Allen Wrench standard "L" flat tip 3mm** Black allen key 8mm flat tip. Measurement in L100x36mm. Length (mm): 63 Width (mm): 20 High (mm): 3 Colour: Black Packaging: Box 6 Units	**1** **60** **120**	**0,1892** €/Unit **0,1646** €/Unit **0,16** €/Unit
SK07409	**Allen Wrench standard "L" flat tip 10mm** Black allen key 10mm flat tip. Measurement in L112x40mm. Length (mm): 112 Width (mm): 40 High (mm): 10 Colour: Black Packaging: Box 1 Unit	**1** **10** **20**	**1,06** €/Unit **0,93** €/Unit **0,89** €/Unit



Code	Description	Lot (> =)	Price
SK07410	**Allen Wrench standard "L" Round tip 1,5mm** Black allen ball tip 1.5mm. Measurement in L 45x14 mm. Length (mm): 45 Width (mm): 14 High (mm): 1.5 Colour: Black Packaging: Box 6 Units	**1** **60** **120**	**0,2838** €/Unit **0,2468** €/Unit **0,24** €/Unit
SK07412	**Allen Wrench standard "L" Round tip 2,5mm** Black 2,5mm ball point allen wrench. Measurement in L 50x16 mm. Length (mm): 56 Width (mm): 18 High (mm): 2.5 Colour: Black Packaging: Box 6 Units	**1** **60** **120**	**0,3311** €/Unit **0,2879** €/Unit **0,27** €/Unit

Allen Hex Wrench



Code	Description	Lot (> =)	Price
SK07413	**Allen Wrench standard "L" Round tip 3mm**	**1**	**0,3548** €/Unit
		60	**0,3084** €/Unit
	Black 3mm ball point allen wrench. Measurement in L 63x20 mm.	**120**	**0,29** €/Unit
	Length (mm): 63 Width (mm): 20 High (mm): 3 Colour: Black		
	Packaging: Box 6 Units		
SK07415	**Allen Wrench standard "L" Round tip 5mm**	**1**	**0,4190** €/Unit
		30	**0,3644** €/Unit
	Black 5mm ball point allen key. Measured in L 80x28 mm.	**60**	**0,35** €/Unit
	Length (mm): 80 Width (mm): 28 High (mm): 5 Colour: Black		
	Packaging: Box 3 Units		
SK07416	**Allen Wrench standard "L" Round tip 6mm**	**1**	**0,5643** €/Unit
		30	**0,4906** €/Unit
	Black 6mm ball point allen key. Measured in L 90x32 mm.	**60**	**0,47** €/Unit
	Length (mm): 90 Width (mm): 32 High (mm): 6 Colour: Black		
	Packaging: Box 3 Units		
SK07417	**Allen Wrench standard "L" Round tip 8mm**	**1**	**0,90** €/Unit
		10	**0,78** €/Unit
	Black 8mm ball point allen key. Measured in L 100x36 mm.	**20**	**0,74** €/Unit
	Length (mm): 100 Width (mm): 36 High (mm): 8 Colour: Black		
	Packaging: Box 1 Unit		
SK07418	**Allen Wrench standard "L" Round tip 10mm**	**1**	**1,33** €/Unit
		10	**1,16** €/Unit
	Black 10mm ball point allen key. Measured in L 112x40 mm.	**20**	**1,10** €/Unit
	Length (mm): 112 Width (mm): 40 High (mm): 10 Colour: Black		
	Packaging: Box 1 Unit		


Allen Hex Wrench Set



Code	Description	Lot (> =)	Price
SK07301	**Blister 9 Allen wrench silver Round tip BL-C9 long**	**1**	**8,38** €/Bl.
		12	**7,29** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 235mm of length	**36**	**6,94** €/Bl.
	Colour: Silver		
	Packaging: Blister 9 Units		
SK07302	**Blister 9 Allen wrench silver Round tip BM-C9 medium**	**1**	**7,33** €/Bl.
		12	**6,37** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 183mm of length	**36**	**6,07** €/Bl.
	Colour: Silver		
	Packaging: Blister 9 Units		
SK07303	**Blister 9 Allen wrench silver Round tip BS-C9 short**	**1**	**6,66** €/Bl.
		12	**5,79** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 120mm of length	**36**	**5,51** €/Bl.
	Colour: Silver		
	Packaging: Blister 9 Units		



Code	Description	Lot (> =)	Price
SK07304	**Blister 9 Allen wrench black Round tip BL-B9 long**	**1**	**7,33** €/Bl.
		12	**6,37** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 235mm of length	**36**	**6,07** €/Bl.
	Colour: Black		
	Packaging: Blister 9 Units		
SK07306	**Blister 9 Allen wrench black Round tip BS-B9 short**	**1**	**7,33** €/Bl.
		12	**6,37** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 120mm of length	**36**	**6,07** €/Bl.
	Colour: Black		
	Packaging: Blister 9 Units		



Code	Description	Lot (> =)	Price
SK07307	**Blister 9 Allen wrench silver flat tip PL-C9 long**	**1**	**6,80** €/Bl.
		12	**5,92** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 235mm of length	**36**	**5,64** €/Bl.
	Colour: Silver		
	Packaging: Blister 9 Units		

Allen Hex Wrench Set



Code	Description	Lot (> =)	Price
SK07308	**Blister 9 Allen wrench silver flat tip PM-C9 medium**	**1**	**5,81** €/Bl.
		12	**5,05** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 183mm of length	**36**	**4,81** €/Bl.
	Colour: Silver		
	Packaging: Blister 9 Units		
SK07309	**Blister 9 Allen wrench silver flat tip PS-C9 short**	**1**	**4,44** €/Bl.
		12	**3,86** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 120mm of length	**36**	**3,68** €/Bl.
	Colour: Silver		
	Packaging: Blister 9 Units		
SK07310	**Blister 9 Allen wrench black flat tip PL-B9 long**	**1**	**4,95** €/Bl.
		12	**4,30** €/Bl.
	Wrenches of 1,5-2-2,5-3-4-5-6-8-10mm and up to 235mm of length	**36**	**4,10** €/Bl.
	Colour: Black		
	Packaging: Blister 9 Units		



Code	Description	Lot (> =)	Price
SK07313	**Juego 9 Allen wrench black flat tip con anilla**	**1**	**4,09** €/Bl.
		12	**3,55** €/Bl.
	Set of 9 black allen wrenches with flat tip with ring.Leaves of 1,5-2-2,5-3-4-5-6-8-10mm	**36**	**3,38** €/Bl.
	Colour: Black		
	Packaging: Blister 9 Units		

SIMBOLOGY

SELV Electronic transformer low voltage safety

Safety Transformer

Capacitor for power factor correction

Applicable load: Incandescent and halogen 230V

Applicable load: toroidal transformer

Applicable load: compact electromagnetic transformer

T Cut regulators start phase (TRIAC)

M Regulators cut in order to stage (MOSFET)

TM Phase-angle regulators (MOSFET + TRIAC)

LED light spot

Presence of dangerous voltage> / = 0.6 K.

Transformer for independent use

Self-protected lamp

Protection against water

Protection against ingress of dust

Protection class III

Protection Class II for built-in devices

Protected Unit at a temperature of 110 °

EEI=A3 Energy Efficiency Index

Protection Class II double insulated

EEI=A2 Energy Efficiency Index

UV STOP Ultraviolet filter

Protected Unit at a temperature of 120 °

EEI=B1 Energy Efficiency Index

Be installed on furniture. Thermally protected with TC 130 ° C max

EEI=B2 Energy Efficiency Index

EEI=C Energy Efficiency Index

EEI=A1 Energy Efficiency Index

Progressive Power

Off Progressive

Silent

Unsecured transformer short circuit

Protected Unit at a temperature of 100 °

C Dimmable with trailing edge phase dimmers IGBT

Be installed on furniture. Thermally protected with TC 115 ° C max

S Dimmable with touch (sensorial)

ROHS

RAEE

RAEE BATTERIES

Ecoembes

Protection Class I

Be installed on flammable surfaces, T ª maximum bearing surface 130 ° C

Use indoor

KG MAX 2,3 Max weight 2.3 Kg

Overvoltage protection network

Built-in fuse

Thermal

AENOR

AENOR-HAR

ASTA Diamond Mark

BSI (UK)

Casambi Ready

CB

CCC (China)

CE

CPR

CQC

Cruz

CSA (Canada)

IMQ

CSV IMQ (Italy)

UL USA CANADA

CUR (Canada)

C UR U.S. (USA-Canada)

DALI2

DALI D4i

DEMKO (Denmark)

Doble

EAC (RUSIA)

(EMC) Electromagnetic compatibility

Electromagnetic compatibility (Sweden)

EMC-IMQ

EMC-INTERTEK

Electromagnetic Compatibility TUV

EMC TUV CERTIFIED

Electromagnetic compatibility TÜV SÜD

European Norms Electrical Certification

03 ENEC (Italy)

05 ENEC (Netherlands)

10 ENEC (Germany)

11 ENEC (Austria)

14 ENEC (Sweden)

15 DEMKO (Denmark)

16 FIMKO (Finland)

17 ENEC (Norway)

18 MEEI (Hungary)

21 ENEC (Czech Republic)

- TUV-PS
- Energy Saver
- Estrella
- ETL-INTERTEK
- Federal Communications Commission
- FIMKO (Finland)
- GOST-R (Russia)
- IMQ (Italy)
- IMQ-HAR
- INTERTEK-GS
- IRAM (Argentina)
- Japon
- Korean Certification
- KEMA (Netherlands)
- Electromagnetic Compatibility (Netherlands)
- LCIE (France)
- LVD (DIRECTA BAJO VOLTAJE)
- Safety TUV CERTIFIED
- Made in Italy
- NEMKO (Norway)
- NSW GOVERMENT (Australia)
- Plano
- Global standard for wireless charging
- Regulatory Compliance Mark for Australia
- REACH
- SEMKO (Sweden)
- Electromagnetic compatibility (Germany)
- Safety Mark Singapore
- Torx
- TÜV Rheinland (Germany)
- TÜV SÜD GS
- UKCA
- UL (USA)
- UNE
- UR (USA)
- VDE (Germany)
- VDE-HAR (Germany)

INDEX

Page

HALOTEC SMALL INSTALLATION MATERIAL
MULTIPLE PLUG AND CABLE REELS 2
MULTIPLE PLUG WITH CABLE 3 SOCKETS 2
MULTIPLE PLUG WITHCABLE 4 SOCKETS 2
MULTIPLE PLUG WITH CABLE 5 SHOCKETS 2
MULTIPLE PLUG WITH CABLE 6 SHOCKETS 3
PLUGS AND BASES 3
EUR PLUGS AND SOCKETS 3
SCHUKO PLUGS AND SOCKETS 4
ADAPTERS 6
TRIPLE SOCKET ADAPTERS 6
DOUBLE SOCKETS ADAPTERS 6
TRAVEL ADAPTER 7
USB ADAPTERS 7
PLUG BASES 7
BASES SURFACE PLUG 7
LAMPHOLDERS FOR INSTALLING 8
HALOTEC INSTALLATION THERMOPLASTIC LAMPHOLDERS E27 8
HALOTEC THERMOPLASTIC LAMPHOLDERS E27 8
HALOTEC LIGHT POINT THERMOPLASTIC LAMPHOLDERS E27 9
HALOTEC BAKELITE AND THERMOPLASTIC LAMPHOLDERS E14 10
HALOTEC HALOGEN LAMPHOLDERS GZ10 11
LAMPHOLDER ADAPTER 11
HALOTEC LAMPHOLDERS AND WREATH ACCESSORIES E27 11
SURFACE MECHANISMS 12
SURFACE MECHANISMS 12
WATERPROOF SURFACE MECHANISMS IP54 13
PLP TERMINAL BLOCK FOR INSTALLATION 15
PLP INSTALLATION TERMINAL BLOCKS 15
ELECTRONIC ULTRASONIC REPELLER 16
ELECTRONIC ULTRASONIC REPELLER 16

HALOTEC LAMPS
LED LAMPS HALOTEC 16
LED LAMPS E14 16
LED LAMPS E27 18
FLIAMENT LED LAMPS E27 20
LED REFLECTOR LAMPS 20
LED LAMPS GU10 230V 21
LED LAMPS GU5.3 12V 22
LED LAMPS G9 230V 22
LED TUBES T8 23
LED LUMINAIRES WITH T5 TUBE 24
FLUORESCENT COMPACT E14 24
MICRO TRIPLE TUBE E14 FLUORESCENT LAMPS 24
MINI TRIPLE TUBE E14 FLUORESCENT LAMPS 25
MINI SPIRAL E14 FLUORESCENT LAMPS 26
MINI SPHERICAL E14 FLUORESCENT LAMPS 27
CANDLE E14 FLUORESCENT LAMPS 28

MICRO CANDLE E14 FLUORESCENT LAMPS 28
DOUBLE TUBE E14 FLUORESCENT LAMPS 28
FLUORESCENT COMPACT E27 29
MINI TRIPLE TUBE E27 FLUORESCENT LAMPS 29
MINI SPHERICAL E27 FLUORESCENT LAMPS 29
SPHERICAL GLOBE E27 FLUORESCENT LAMPS 29
CANDLE E27 FLUORESCENT LAMPS 30
DOUBLE TUBE E27 FLUORESCENT LAMPS 30
FLUORESCENT COMPACT OTHER BASES 30
GU10 ESL 30
FLUORESCENT COMPRACT WIHOUT BALLAST INTEGRATED 31
G23 SINGLE TUBE FLUORESCENT LAMPS 31
DOUBLE FLUORESCENT LAMPS G24D 31
TRIPLE FLUORESCENT LAMPS GX24Q 32
DOUBLE TUBE 2G11 PLL FLUORESCENT LAMPS 32
T5 FLUORESCENT TUBES 32
BLB BLACK LIGHT TUBES 32
LUMINAIRES WITH T5 TUBES 33
LUMINAIRES WITH T5 TUBES 33
METAL HALIDE LAMPS 33
METAL HALIDE RX7S LAMPS 33
LAMPES HALOGENES 33
ENERGY SAVER HALOGEN R7S LAMPS 33
HALOGEN R7S LAMPS 34
ENERGY SAVER G9 HALOGEN LAMPS 35
HALOGEN LAMP G9 35
230V HALOGEN DICHROIC LAMPS 35
BI-PIN HALOGEN LAMP 12V 35
HALOGEN DICHROIC LAMPS 12V 36
COLOR 12V HALOGEN DICHROIC LAMPS 36
12V HALOGEN LAMP WITH NDL DICHROIC REFLECTOR 37
E14 INCANDESCENT LAMPS 37
CANDLE E14 ENERGY SABER LAMPS 37
E14 CANDLE LAMPS 37
E14 SPHERICAL ENERGY SAVER LAMPS 38
E14 SPHERICAL LAMPS 38
E14 WIND LAMP 38
CURLY E14 LAMPS 39
E27 INCANDESCENT LAMPS 39
RESISTANCE DECORATIVE E27 LAMPS 39
STANDARD LAMPS E27 ENERGY SAVER 39
STANDARD LAMPS E27 39
E27 SPHERICAL ENERGY SAVER LAMPS 40
E27 SPHERICAL LAMPS 40
INCANDESCENT LAMPS IN BLISTER 40
E27 STANDARD BULB IN BLISTER 40
REFLECTOR LAMPS 41
R50 REFLECTOR E14 LAMP 41
R80 REFLECTOR E27 LAMP 41

HALOTEC LIGHTING
LED LUMINAIRES 41
LED PROJECTOR WITH DETECTOR 41
LED PROJECTORS 41
LED STRIPS 43
OUTDOOR LIGHTS 43
ALUMINUM ROUND OUTDOOR LIGHT 43
HALOGEN BULB 43
FIXED HALOGEN BULB 12V KIT 43
FIXED 230V HALOGEN BULB KIT 44
KIT 230V HALOGEN BULB TILT 44
DIRECTIONAL SPOTLIGHTS 44
PORTABLE HALOGENE SPOTLIGHTS 44
TILT HALOGEN SPOTLIGHTS WITH SENSOR 45

HALOTEC INSTALLATION MATERIAL
EXTRACTORS 45
EXTRACTORS 45
SEALED BOXES 46
4 CONES SEALED ROUND BOX 46
6 CONES SEALED SQUARE BOX 46
10 CONES SEALED RECTANGULAR BOX 46
RECESSED CONDUIT BOXES 47
JUNCTION BOX WITH SCREWS 47
JUNCTION BOX WITH PLASTIC CLAWS 49
WATERTIGHT BOX HOLLOW PARTITIONS 50
JUNCTION BOX WITH METAL CLAWS 51
CABLE GUIDE 52
FIXED CABLE GUIDE 52
CABLE PIPING SYSTEMS 53
SYSTEM OF PIPELINE SELF ADHESIVE 53

TV , VIDEO AND TELEPHONE HALOTEC MATERIAL
TV & VIDEO ACCESSORIES 53
HDMI CONNECTORS 53
TV EUROCONNECTORS 54
AERIAL CONNECTORS 54
TV ADAPTERS 55
AUDIO CONNECTIONS 55

HALOTEC TOOLS
SCREWDRIVERS 56
FLATHEAD SCREWDRIVER 56
PHILIPS SCREWDRIVER 56
TORX SCREWDRIVER 56
POZIDRIVE SCREWDRIVER 57
DOUBLE SCREWDRIVER 57
WRENCH 58

WRENCH 58
COMBINATION WRENCHES 58
COMBINATION WRENCHES 58
ALLEN HEX WRENCH 60
ALLEN HEX WRENCH 60
ALLEN HEX WRENCH SET 61

Notes

Notes

TERMS OF SALE

ALL ORDERS IMPLY THE ACCEPTANCE BY THE BUYER AND THE SELLER OF THE FOLLOWING CONDITIONS

PRICES:
Our updated prices are those published on our website and are Net ex our warehouse, packaging included and taxes apart. The seller reserves the right to change them without any notice.

ORDERS:
We accept any order amount, provided that the quantities conform to the minimum quantity for each item.
If there were no availability of all the goods of an order and to avoid delays in the delivery of the available, we will make partial shipments at our own discretion , always trying to send compatible merchandise and trying to provide the best service and the minimum cost.
In any case, if you want to receive complete orders only, please specify when ordering.
When placing orders be aware that prices vary depending if the quantity ordered is equal to or greater than the various lots offered. The smaller lot coincides with the minimum order quantity and orders usually will be recorded as multiples of it.
The acceptance of an order in any of their lots are subject to availability. In case of unavailability the minimum order would fit the minimum order of supplier.

SHIPPING:
Within the national territory with the exceptions mentioned below, we will send, transportation prepaid all orders amounting more than 250 € before taxes*. Orders less than 250 € before taxes will be shipped with our usual carrier including a fixed delivery cost of 4,90€ plus taxes in the invoice.

*1200€ for shipments to the Canary Islands
*250€ for shipments to Portugal
*Ceuta to Algeciras prepaid for orders over 250 € For other destinations other than those mentioned conditions are ex works (EXW) and transportation costs will be included in the invoice.

SHIPMENTS:
All shipments are made via transport agency. We do not have counter sales so we cannot accept orders to take away at the moment. Any order that is desired exceptionally be collected directly in our store must be completed in advance and be reported once prepared for collection. Koala Components S .A. is not responsible for delays in the delivery of the goods, due to unforeseen circumstances that are beyond its control, including among others, due to force majeure, changes in legislation, armed conflicts, delays attributable to transportation, customs clearance or suppliers, cuts in electricity supply or strikes.

INSPECTION OF THE MERCHANDISE:
The buyer must examine the order as soon as they are provided. Our standard carrier is liable for breakage due to shipment. Any impact on the receipt of the goods must be reported within 48 hours of our customer service department for the claim.
Returns will only be accepted in the following cases:
a) In the case of defect in quality or quantity of goods sent, provided that the buyer have to make a complaint in writing, by registered letter, fax or e -mail within 30 days of receipt of goods, including a detailed description of the defect.
b) In the case of internal defects of the goods sent whenever the buyer 's claim is made through any means identical to those indicated in the previous paragraph , within 90 days of receipt of goods, including a description of the problem perceived.
c) In case of error when ordering, the return acceptance and possible depreciation in the amount to be credited for the goods shall be agreed upon between the parties .
The return for articles of Swarovski Fashion line will be only accepted if merchandise is the original sealed packaging.
After the periods indicated without any claim to have been formalized, we will not accept any return.
In any case, the goods may be returned only upon approval and in accordance with instructions provided by the seller.
Koala Components S.A. Responsibility about damage is limited to affecting the goods themselves . In no event the seller will be responsible for other damages.
Any unauthorized modification, misuse or non-compliance with the instructions for use of products exempt Koala Components S. A from any liability.

Koala Components S.A. reserves the right, without notice, any modification, cancellation or replacement of items offered in their catalogs and in no way responsible for any printing errors that may exist in their catalogs or price lists.

For all legal matters submitted to the buyer Valencia courts expressly waiving any other jurisdiction, even if the postage is paid and the effects are domiciled somewhere other than that of Valencia .

ANY CHANGE WHICH AIMS TO INTRODUCE IN CONDITIONS REQUIRED PRIOR WRITTEN AGREEMENT OF BUYER AND SELLER.

KOALA COMPONENTS
Iluminación · Lighting · Éclairage

Ctra. Masía del Juez 27, Km1
46909 Torrent (Valencia) España
+34 963 974 039
info@koalacomponents.com

www.koalacomponents.com