

ATTESTATION OF CONFORMITY WITH EUROPEAN DIRECTIVE



Order No. 340058 Page 1/2

A sample of the following product has been tested and is stated by Nemko to be in conformity with the applicable European standards referred below.

Product LED Driver

Manufacturer Xiamen AcTEC Electronics Co., Ltd.

No.4, Tongfu Road, Tong'an Industrial Center, Tong'an

District, Xiamen

China

Factory Xiamen AcTEC Electronics Co., Ltd.

No.4, Tongfu Road, Tong'an Industrial Center, Tong'an

District, Xiamen

China

Ratings PRI: 0.1 A 100-240 Vac 50/60 Hz,

SEC: 350 / 500 / 700 mA, max. 12 V d.c. (under-load), max. 16 V d.c. (no-load)

Trade mark

ACTEC®

Model / Type Ref. MINIxxxmA/4W series

Principal characteristics IP65, ta: -20...50 °C tc: 80 °C, built-in, SELV, constant current output. The

"xxx" in the type designation can be 350, 500 or 700, indicating the rated output

current in mA.

A sample of the product was tested

and found to be in conformity with

LITE EN 61347-1:2015

EN 61347-2-13:2014;A1

EMF EN 62493:2015 EMC EN 55015:2013;A1

> EN 61000-3-2:2014 EN 61000-3-3:2013 EN 61547:2009

Test Report Ref. No. 340058

It may therefore be presumed that the tested sample of the product is in conformity with the technical provisions of the following European Directives including the latest amendments, and with national legislation implementing these Directives:

- Low Voltage Directive 2014/35/EU
- EMC Directive 2014/30/EU

Provided that other applicable Directive requirements are satisfied, the manufacturer (or the European authorized representative), may draw up an EC/EEA Declaration of Conformity and affix the CE-marking to each conforming product.

Additional model(s) See next page(s)

Additional information

Date of issue 27-11-2017

Sweet Yuan

Certification Department

Nemko AS

nemko.com



ATTESTATION OF CONFORMITY WITH EUROPEAN DIRECTIVE



Order No. 340058 Page 2/2

Product LED Driver

Pos. No

Model / Type Ref. MINIxxV/4W series

Trade mark (if different from page 1)

Ratings PRI: 0.1 A 100-240 Vac 50/60 Hz;

SEC: 12Vdc, 0.33A; 24Vdc, 0.17A

Principal characteristics IP65, ta: -20...50 °C tc: 80 °C, built-in, SELV, constant voltage output. The "xx"

in the type designation can be 12, 24, indicating the rated output voltage in Volt.

Date of issue 27-11-2017

Sweet Yuan

Certification Department

Nemko AS